

## Product data sheet Characteristics

# 30M-BK

Switch 30 Series Mechanism - 1-or 2-way - 250 V - 10 AX - Black





#### Main

| IVIAIII             |                              |
|---------------------|------------------------------|
| Range of product    | Series 30<br>Standard Series |
| Product brand       | Clipsal                      |
| Device presentation | Basic element                |

#### Complementary

| Switch function                | 1-pole                                   |
|--------------------------------|--|
| Number of rocker               | 1  |
| Number of poles                | 1  |
| Device mounting                | Flush                                    |
| Material                       | PVC (polyvinyl chloride)                 |
| Surface finish                 | Glossy                                   |
| Local signalling               | without                                  |
| [Ue] rated operational voltage | 250 V AC                                 |
| Rated current                  | 10 A                                     |
| Load type                      | Fluorescent lamp 10 A<br>LEDi lamp 100 W |
| Marking                        | Without marking                          |
| Actuator                       | Rocker                                   |

#### **Packing Units**

| Unit Type of Package 1       | PCE      |  |
|------------------------------|----------|--|
| Number of Units in Package 1 | 1        |  |
| Package 1 Weight             | 0.014 kg |  |
| Package 1 Height             | 2.36 cm  |  |
| Package 1 width              | 2.36 cm  |  |
| Package 1 Length             | 2.9 cm   |  |
|                              |          |  |

### Offer Sustainability

| Green Premium product          |
|--------------------------------|
| ☑ REACh Declaration            |
| Compliant EEU RoHS Declaration |
| Yes                            |
| ₫Yes                           |
| ☑ China RoHS Declaration       |
| Product Environmental Profile  |
|                                |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not inherenced as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the documentation is not be used to perform the appropriate and complete risk analysis, evaluation of the products with respect to the relevant specific application or use thereof. Neither Schmeider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.