

Energizer

PROFESSIONAL CHANNEL CATALOGUE



TABLE OF CONTENTS

BATTERIES p6

LITHIUM BATTERIES	p10
MAX Plus™	p14
MAX™	p16
Special batteries	p17
Industrial	p18
RECHARGEABLE	p20
Batteries	p22
Chargers	p23
SPECIALTY	p24
Electronic devices	p25
Camera	p28
Hearing aids	p28
Watch	p29

LIGHTS p30

DAILY PROFESSIONAL USE	
Hard Case professional lights	p34
ATEX lights	p40
Tactical lights	p42
OCCASIONAL PROFESSIONAL USE	
Metal lights	p44
Dolphin Everedy	p46
Vision Headlights	p48
DIY lights	p52




ABOUT US

Energizer® is leading the power and portable lighting categories worldwide with a powerful portfolio of groundbreaking products and consumer-led innovation.

Our battery and light products are sold in more than 140 markets around the globe.

→ Innovation at the heart of our strategy

From the first dry cell battery back in the 1890's, **Energizer®** has continuously built a rich history of powerful advancements with innovation always at the heart of the strategy.




→ A unique full line portfolio

The **Energizer®** portfolio counts with best-in-class product specifications and professional dedicated solutions designed to be used in the most technical work environments.

Our strong claim "Makers of the world's longest lasting battery (Ultimate Lithium™ AA)" reinforces our position of technologically advanced brand, capitalizing on the outstanding and unique performances of our Ultimate Lithium™ AA & AAA batteries.



NEW PROFESSIONAL WEBSITE!



www.energizerprofessional.com.au

- Access to all professional products in one place
- Battery data sheets and conversion charts available
- Product Specifications



Check out our latest resource!

HOW TO CHOOSE THE RIGHT BATTERY ?



BATTERIES COMPARED



PERFORMANCE

	SPECIALTY	RECHARGEABLE	ALKALINE INDUSTRIAL	ALKALINE MAX PLUS™	ULTIMATE LITHIUM™
Usage	Specific formats	For frequently used and power-hungry devices	For standard industrial usage, volume offers and tenders	For everyday usage and demanding devices	For critical devices and outdoor usage
Product advantages	<ul style="list-style-type: none"> • Zero added mercury • Wide range to power all kinds of small devices 	<ul style="list-style-type: none"> • Environmentally-friendly: made with 15% recycled batteries* • Economical: can be recharged 100s of times 	<ul style="list-style-type: none"> • 10 years shelf life (AA/AAA/C/D) 	<ul style="list-style-type: none"> • Our longest lasting alkaline (AA/AAA) • Made to Last. Not to Leak • 12 years shelf life (AA/AAA) 	<ul style="list-style-type: none"> • World's longest lasting AA battery • Performs in extreme temperatures from -40°C to 60°C • 20 years shelf life (AA/AAA)
Type of devices					
Formats	SPECIFIC FORMATS	AA, AAA,	AA, AAA, C, D, 9V	AA, AAA, C, D, 9V	AA, AAA, 9V
Pack size	X4, X2, X1 (DEPENDING ON FORMATS)	X4, X2 (AA,AAA)	X12 (AA,AAA), X12 (C,D,9V)	X24, X12 & X4 (AA, AAA), X2 (C, D), X1 (9V)	X10, (AA,AAA), X1 (9V)

BUSINESS PACKS: The best battery pack solution for professionals



Available in most battery formats and types



MORE BATTERIES:
UP TO 24 PER PACK*



PRACTICAL:
EASY TO STORE
AND RECLOSEABLE



**CARDBOARD
PACKAGING**

CUSTOMERS BECOMING MORE ENVIRONMENTALLY AWARE



74% more aware of the environmental impact of plastic packaging over the last year



42% agree that sustainability is an important criterion for selecting a brand



43% a product's impact on the environment is important*

*Source: IGD Research, IGD ShopperVista (Base: 1,724 British shoppers, February 2018)

DOING THE RIGHT THING FOR THE PLANET, AND OUR CUSTOMERS

At Energizer, we are focusing on reducing the impact our company and products have on the environment

Product
<p>Longer lasting products generates less waste*</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Makers of the World's Longest Lasting AA battery : Energizer® Ultimate Lithium™</p> </div> <div style="text-align: center;">  <p>Rechargeable Batteries** made with 15% Recycled Materials</p> </div> </div> <p><small>*vs Energizer MAX® **Energizer® rechargeable batteries can be reused 100s of times to create less waste</small></p>
<p>PowerSeal technology gives excellent shelf life & no leaks guarantee</p> <p style="text-align: center;">+POWERSEAL TECHNOLOGY</p>
<p>World's 1st to manufacture Zero mercury batteries</p>
<p>Conversion of lighting products to LED</p>

Packaging
<p>Introduced PLASTIC FREE* battery retail packaging</p> <p style="text-align: right;">PLASTIC FREE</p> <p><small>*Excluding Seals on select packaging</small></p>
<p>All cardboard used is from certified sustainable sources</p>
<p>Most battery labels changed from PVC to PETG</p>
<p>100% of Energizer's corrugated packaging are fully recyclable</p> <p style="text-align: right;"></p>





HIGH ENERGY & LONGEST LASTING

▶ **Up to 11x longer lasting****



** in digital cameras vs. *Energizer*® basic alkaline AA only

OUTDOOR USAGE

▶ **Performs in extreme temperatures*****



from -40°C...



to 60°C

*** only for AA/AAA/9V

IDEAL FOR PORTABLE DEVICES

▶ **25% (9V) to 33% (AA/AAA) lighter** than standard Alkaline

BEST PERFORMANCE

▶ **The best AA battery** for peak performance in all devices****

▶ **20 years shelf life (AA/AAA)**

▶ **Leak resistant construction**

**** vs. Alkaline Batteries



X10



AA x10
Minimum order: 10
Voltage: 1,5v
EAN: 8888021 800 692



AAA x10
Minimum order: 10
Voltage: 1,5v
EAN: 8888021 800 708



9V x1
Minimum order: 6
Voltage: 9v
EAN: 8888021 204 629

IDEAL FOR SMOKE DETECTORS
Ultimate Lithium™ 9V lasts up to 65% LONGER* in smoke detectors

*vs. *Energizer*® Standard Alkaline 9v



Energizer[®]

MAX PLUS™



Energizer[®]

MAX PLUS™

No. 1 Longest lasting alkaline*

Alkaline Performance


Power for demanding devices and work tools




Max Plus is our No. 1 longest lasting alkaline (AA/AAA)

OUR LONGEST LASTING ALKALINE (AA/AAA)

▶ **Lasting power for demanding devices**
For everyday usage



Increased efficiency
Supporting larger energy demands from today's devices.
Longer lasting power means fewer battery replacements for more efficiency



MADE TO LAST, NOT TO LEAK

▶ **Reduces damaging risks for devices and work tools**



A positive impact on environment
Use less Max Plus batteries, for the same job

RELIABLE & RESISTANT


▶ **12 years shelf life (AA/AAA)**
Ready to use when you need them



Energizer[®]

MAX PLUS™

Long lasting power
for demanding professionals



**VALUE
PACKS**

 **Reclosable / Easy to store**

X24



AA x24
Minimum order: 24
Voltage: 1,5v
EAN: 8888021 902 372



AAA x24
Minimum order: 24
Voltage: 1,5v
EAN: 8888021 902 358

Other
Formats



D x12
Minimum order: 12
Voltage: 1,5v
EAN: 8888021 903 485



C x12
Minimum order: 12
Voltage: 1,5v
EAN: 8888021 903 508



9V x12
Minimum order: 12
Voltage: 9v
EAN: 8888021 903 492

Energizer
MAX

**Alkaline
Premium**

**Lasting power
for everyday devices**



**POWERSEAL™
TECHNOLOGY**

Protects* your devices, no leaks guaranteed



*From leakage of fully-used batteries in devices up to 2 years. (AA/AAA)

RELIABLE

10 years shelf life (AA/AAA)

Energizer MAX® AA Technology: delivers long runtime, protects devices from leakage



Up to
50% Longer Lasting*

*vs. IEC 2015 standard minimum average duration in portable lights



Leakage protection



**VALUE
PACKS**

Reclosable / Easy to store

X24



AA x24
Minimum order: 14
Voltage: 1,5v
EAN: 9312931 530 022



AAA x24
Minimum order: 24
Voltage: 1,5v
EAN: 39800 016 850

X1

SPECIAL BATTERIES



Eveready Heavy Duty 6V
Minimum order: 6
Voltage: 6V



Eveready Super Heavy Duty 6V
Minimum order: 6
Voltage: 6V




Eveready Dolphin 6V
Minimum order: 6
Voltage: 6V



Energizer 6V
Minimum order: 6
Voltage: 6V

**Alkaline
Industrial**

**Batteries for tenders
and volume offers**



**INDUSTRIAL AND
COMMERCIAL USE**

**Ideal for everyday devices used at work
or on the job**



RELIABLE

**Up to 10 years shelf life
(AA/AAA/C/D)**



**VALUE
PACKS**  **Reclosable / Easy to store**

X24



AA X24
Minimum order: 24
Voltage: 1,5v
EAN: 10039800019193



AAA X24
Minimum order: 24
Voltage: 1,5v
EAN: 10039800016871

X12



C X12
Minimum order: 12
Voltage: 1,5v
EAN: 39800 019 219



D X12
Minimum order: 12
Voltage: 1,5v
EAN: 39800 019 226



9V X12
Minimum order: 12
Voltage: 1,5v
EAN: 39800 019 124

Energizer®

RECHARGE®

Energizer®

RECHARGE

Reusable power

RECHARGEABLE

WORLD'S FIRST
MADE WITH **15%** RECYCLED MATERIALS*



Reduced environmental impact with no compromise on performance



ECONOMICAL & ECOLOGICAL

► For frequently used devices

Can be recharged 100s of times



► Made with up to 15% recycled material*

*Accu Recharge Extreme & Accu Recharge Power Plus AA/AAA only

UNCOMPROMISING PERFORMANCE

► Lasts up to 6x longer**

The higher the mAh, the more the rechargeable battery can be used in high drain devices and the longer it lasts

**in digital cameras vs. Energizer® basic alkaline, results vary by device. Energizer® Accu Recharge Extreme AA only)

EASY TO USE

► Pre-charged (AA/AAA)

Ready to use from purchase



No. 1 RECHARGEABLE BATTERIES BRAND IN EUROPE****



* Energizer Accu Recharge Extreme & Accu Recharge Power Plus AA/AAA only.
** Energizer Accu Recharge Extreme AA in digital cameras vs. Energizer® basic alkaline, results vary by device.
*** AA/AAA total usable life under typical usage patterns.
**** Based on scanned sales.
©2022 Energizer. Energizer, Energizer Character, and certain graphic designs are trademarks of Energizer Brands, LLC and related subsidiaries.

Energizer®

RECHARGE

Rechargeable batteries



Energizer®

RECHARGE

Chargers



Energizer chargers are equipped with:

- Reverse polarity protection
- Battery charging status indicator

X4

EXTREME – Last 6X longer*



AA 2300mAh X4
Minimum order: 6
Voltage: 1,2v
EAN: 8888021 300 789

EXTREME – Last 5X longer*



AAA 800mAh X4
Minimum order: 6
Voltage: 1,2v
EAN: 8888021 300 772

PRO CHARGER



PRO CHARGER
Minimum order: 3
EAN: 4891138 956 231

- ▶ Light and sound charging status indicator
- ▶ Charged formats: AA/AAA
- ▶ Detection of defective batteries
- ▶ Safety timer to prevent overcharge
- ▶ Over charge protection
- ▶ Charging time: AA/AAA: 3-5h
- ▶ Number of batteries capable of charging: 2-4

X2



AA 2300mAh X2
Minimum order: 6
Voltage: 1,2v
EAN: 8888021 300 772



AAA 800mAh X2
Minimum order: 6
Voltage: 1,2v
EAN: 8888021 300 765

MAXI CHARGER



MAXI CHARGER + 4AA 2000MAH
Minimum order: 6
EAN: 4891138 943 538

- ▶ LED indicators
- ▶ Charged formats: AA/AAA
- ▶ Detection of defective batteries
- ▶ Safety timer to prevent overcharge
- ▶ Charging time: 5h to 10h
- ▶ Number of batteries capable of charging: 2 or 4

Energizer®

Specialty

Small in size, Big on performance



WIDE PORTFOLIO

▶ **A battery for every need**
Full range of specialty batteries adapted to numerous small size devices



SAFE SOLUTIONS

▶ **Zero added Mercury** on 100% of the portfolio



MULTIPACKS

▶ **Value packs: 4-packs available**



Energizer

N^o1 brand for specialty in Europe*

*based on scan sales

Energizer®

ULTIMATE LITHIUM™

OUR N^o. **1** LONGEST LASTING LITHIUM COIN

↓
MORE POWER*

Higher voltage throughout the battery life

↓
BURNS BRIGHTER*

Lighting devices glow stronger

↓
WORKS FARTHER*

Wireless devices work reliably from longer distance

↓
LASTS LONGER*

High drain devices work longer at their best performance level

ELECTRONIC DEVICES



Lithium - Performance



Minimum order: 12
CR2016 X2
EAN: 8888021 306 293
CR2016 X4
EAN: 8888021 306 231



Minimum order: 12
CR2025 X2
EAN: 8888021 306 316
CR2025 X4
EAN: 8888021 306 217



Minimum order: 12
CR2032 X2
EAN: 8888021 306 392
CR2032 X4
EAN: 8888021 306 330

*as compared to Energizer® Premium Coin Lithium product.

ELECTRONIC DEVICES



Lithium - Premium



Minimum order: 12
CR2032 x1

EAN: 8888021 306 354

CR2032 x2

EAN: 8888021 306 132

CR2032 x4

EAN: 8888021 306 118



Minimum order: 12
CR2016X1

EAN: 8888021 306 538

CR2016 x2

EAN: 8888021 306 453

CR2016 x4

EAN: 8888021 306 491



Minimum order: 12
CR2025 x1

EAN: 8888021 306 576

CR2025 x2

EAN: 8888021 306 194

CR2025 x4

EAN: 8888021 306 477



Minimum order: 6
CR2430 x1

EAN: 8888021 306 736



Minimum order: 9
CR2450 x1

EAN: 8888021 306 613



Minimum order: 12
CR1220 x1

EAN: 8888021 306 651



Minimum order: 12
CR1616 x1

EAN: 8888021 306 675



Minimum order: 12
CR1620 x1

EAN: 8888021 306 156



Minimum order: 12
CR1632 x1

EAN: 8888021 306 279

CR1632 x2

EAN: 8888021 306 378



Minimum order: 6
AAAA/E96 x2
EAN: 8888021 200 980



Minimum order: 6
A544/4LR44 x2
EAN: 9312931 540 243



Minimum order: 12
A23/E23A x1
EAN: 8888021 300 116

A23/E23A x2

EAN: 8888021 300 710

A23/E23A x4

EAN: 8888021 101 096



Minimum order: 12
A27 x1
EAN: 8888021 300 369



Minimum order: 12
LR44 /A76 x2
EAN: 8888021 306 811

LR44 /A76 x4

EAN: 8888021 306 835



Minimum order: 12
LR43/186 x2
EAN: 8888021 306 699



Minimum order: 12
LR54/189 x1
EAN: 8888021 306 712



Minimum order: 6
LR1/E90 x2
EAN: 9312931 530 015

TYPE	H (mm)	D (mm)	V	I.E.C	DURACELL	GOLD PEAK	KODAK	RENETA	VARTA-PANASONIC RAYOVAC
CR 1220	2	12,5	3	CR1220	DL1220	GPCR1220	-	CR1220	CR1220
CR 1616	1,6	16	3	CR1616	DL1616	GPCR1616	-	CR1616	CR1616
CR 1620	2	16	3	CR1620	DL1620	-	-	CR1620	CR1620
CR 1632	3,2	16	3	-	-	-	-	-	-
CR 2016	1,6	20	3	CR2016	DL2016	GPCR2016	KCR2016	CR2016	CR2016
CR 2025	2,5	20	3	CR2025	DL2025	GPCR2025	KCR2025	CR2025	CR2025
CR 2032	3,2	20	3	CR2032	DL2032	GPCR2032	KCR2032	CR2032	CR2032
CR 2430	3	24,5	3	CR2430	DL2430	-	-	CR2430	CR2430
CR 2450	5	24,5	3	CR2450	DL2450	-	-	CR2450N	CR2450

Alkaline

TYPE	H (mm)	D (mm)	V	I.E.C	DURACELL	GP	KODAK	MAXELL	PANASONIC	RAYOVAC	RENETA	SEIKO/TOSHIBA	SONY	VARTA
AAAA LR61	42,5	8,3	1,5	-	-	-	-	-	-	-	-	-	-	-
A544				4LR44	PX28A	GP476A	K28A	4LR44	4LR44	-	-	-	-	V4034PX
A23 E23A	28,5	10,3	12	LRV08	MN21	GP23A	K23A	-	LRV08	R23A	-	-	-	V23GA
A27 E27A	8	8	12	-	MN27	GP27A	-	-	-	-	-	-	-	-
A76 LR44	5,4	11,6	1,5	LR44	PX76A	A76	KA76	LR44	LR44	RW82/LR44	LR44	LR44	LR44	V13GA
LR43/186	4,2	11,6	1,5	LR43	D186A	GP186	-	LR43	LR43	RW84	LR43	LR43	LR43	V12GA
LR54/189	3,1	11,6	1,5	LR54	D189A	GP189	-	LR1130	LR1130	RW89	-	LR1130	LR1130	V10GA
E90 LR01	30,2	12	1,5	LR1	MN9100	GP910A	KN	LR1130	LR1	810	-	-	AM5	4001

ELECTRONIC DEVICES / CAMERA



Lithium



123 x1
Minimum order: 6
EAN: 8888021 300 628
123 x2
EAN: 8888021 302 400



CR2 x1
Minimum order: 6
EAN: 8888021 300 642

Type	H (mm)	D (mm)	V	I.E.C	DURACELL	MAXELL-VARTA	PANASONIC	SONY
123	34,5	17	3	CR17345	DL123A	CR123	CR123A	CR123A
CR2	27	15,6	3	CR15H270	DLCR2	CR2	CR2	CR2

HEARING AIDS



Zinc air



13 x8
Minimum order: 6
EAN: 8888021 306 040



312 x8
Minimum order: 6
EAN: 8888021 306 101



10 x8
Minimum order: 6
EAN: 8888021 306 057



675 x4
Minimum order: 6
EAN: 8888021 306 095

WATCH



Silver oxide

AVAILABLE IN THE FOLLOWING FORMATS



371/370 x1
Minimum order: 6
EAN: 8888021 305 975



371/370 x5
Minimum order: 100
EAN: 8888021 305 913

Type	PACK SIZE	MOQ	EAN
315	X5	100	8888021 305777
317	X5	100	8888021 305784
319	X5	100	8888021 305821
321	X5	100	8888021 305838
329	X5	100	8888021 305791
335	X5	100	8888021 305807
337	X5	100	8888021 305814
341	X5	100	8888021 305746
344/350	X5	100	8888021 305951
346	X5	100	8888021 305753
357/303	X1	6	8888021 305968
357/303	X5	100	8888021 305890
362/361	X5	100	8888021 305906
364/363	X1	6	8888021 306019
364/363	X5	100	8888021 305845
371/370	X1	6	8888021 305975
371/370	X5	100	8888021 305913
373	X5	100	8888021 305739
377/376	X1	6	8888021 305982
377/376	X5	100	8888021 305920
379	X1	6	8888021 305999
379	X5	100	8888021 305852
386/301	X5	100	8888021 305739
389	X1	6	8888021 306002
390/389	X5	100	8888021 305869
392/384	X1	6	8888021 306026
392/384	X5	100	8888021 305937
394/380	X5	100	8888021 305876
395/399	X1	6	8888021 306033
395/399	X5	100	8888021 305944
397/396	X1	6	8888021 305883

LIGHTS



LIGHTS ARE ESSENTIAL WORK TOOLS

Why is it important to select the appropriate lighting solution?

► To improve comfort and ensure safety


- High quality LEDs without dark spots & areas for visual comfort
- Impact resistance and water resistance
- ATEX certified lights for hazardous work environments

► To facilitate interventions

- Handheld and hands-free solutions
- Choose an adapted light solution based on your needs for light intensity, beam distance, and run time



Circulate and move about safely



Long distance lighting



Close-up work



Light a wide work area

Optimize your light efficiency by choosing the right battery



ALKALINE: For everyday usage

LITHIUM: Recommended for outdoor (Performs in extreme temperatures from -40°C to 60°C) and for most powerful torches over 300 lumens

RECHARGEABLE: Recommended for frequent usage (daily or weekly basis)

What are the Lights characteristics?



► Luminous flux

The amount of light is expressed in LUMENS. The more Lumens, the brighter the light will be.

The beam angle also has a direct effect on luminosity. As it widens, the intensity decreases.



Wide beam



Concentrated beam



► Beam distance

Projection distance of a light beam onto a surface. Expressed in meters.



► Run time

How long a light can run until it offers 10% of the initial lumen output. Expressed in hours.




► Water resistance

Water resistance levels are measured in relation to IEC 60529 IPXX standards. Some **Energizer**® lights are IPX4 or IPX7

IPX4: Resist water splashing from any direction.

IPX7: Resist temporary water immersion. 30 minutes at 1 meter depth.



► Impact resistance


Expressed in meters. After dropping in 6 different orientations, the lights retain all the performances established above.



HARD CASE PROFESSIONAL LIGHTS




Tough, dependable and hardworking torches for professionals




COMFORTABLE GRIP

- Textured housing and comfortable shape
- Large switch button



ADAPTABLE

- Adjustable light intensity
- Helmet solution



EXTREMELY ROBUST

- Water resistance: IPX4
- Sustains 7 meters drop test
- Rugged ABS plastic



Daily professional use

Hard Case
PROFESSIONAL

The toughest lights you will ever need



HANDHELD TORCHES

For close-up work & precise lighting



HARD CASE MULTI-USE

- ▶ Highly compact and powerful light
- ▶ Versatile hands-free design
- ▶ Strong magnet to attach to metal surfaces
- ▶ Momentary light push-on button for quick flash of light
- ▶ Exceptionally durable construction with a shatterproof lens
- ▶ Up to 10x brighter than standard LED technology
- ▶ Built-in lanyard loop
- ▶ Weather resistant
- ▶ Operates on 1x AA battery
- ▶ Dimensions: 40mm x 25mm x 90mm
- ▶ Weight Excluding Batteries: 50g

HARD CASE PRO PROJECT PLUS 4AA

Minimum order: 4
4XAA alkaline batteries included
EAN: 8888021 301 953

High mode	LUMENS 75 LUMENS	REACH 30m	RUN TIME 6h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
-----------	-------------------------------	---------------------	-----------------------	---------------------------------	------------------------------

HARD CASE PRO PROJECT PLUS 4AA




- ▶ Weather resistant
- ▶ Compact for ease of use in all professional tasks
- ▶ Comfortable shape to fit in your hand even with gloves
- ▶ Light modes: high, low and dimming
- ▶ 2 beam modes: wide and mixed
- ▶ Lanyard slot
- ▶ Dimensions: (H)215x(W)45x(D)55 mm
- ▶ Weight: 210g

HARD CASE PRO PROJECT PLUS 4AA


Minimum order: 4
4XAA alkaline batteries included
EAN: 39800 127 266

High mode	LUMENS 400 LUMENS	REACH 125m	RUN TIME 11h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	40lm		50h		



AREA LIGHTS

Light a wide working area




Battery Level indicator



PANEL LIGHT
Minimum order: 2
EAN: 8888021 302 868



High mode



PANEL LIGHT


- ▶ Flexible and malleable
- ▶ Double lens
- ▶ Weather resistant (IPX4)
- ▶ Resistant to 2M drops
- ▶ Rechargeable
- ▶ Powerful: 1100 lumens
- ▶ Dimension: (H)202x(W)49x(D)147 mm
- ▶ Weight: 462g



HARD CASE PRO PIVOT
Minimum order: 4
2XAA batteries included
EAN: 8888021 301 885

HARD CASE PRO PIVOT


- ▶ Compact body
- ▶ Hands free functionality: Magnetic base
- ▶ Pivoting head rotates up to 175°
- ▶ Light modes: high and low
- ▶ Beam: wide
- ▶ Lanyard slot
- ▶ Dimensions: (H)180x(W)50x(D)45 mm
- ▶ Weight: 140g




HARD CASE PRO WORKLIGHT
Minimum order: 4
4XAA batteries included
EAN: 4891138 958 532

HARD CASE PRO WORKLIGHT

- ▶ Comfortable handle design
- ▶ Hands free functionality:
 - Retractable rotating hook
 - Strong magnets on the back
 - Wide base
- ▶ Powerful 180° lighting. 6 extremely bright LEDs
- ▶ Light modes: high, low and dimming
- ▶ Beam: wide
- ▶ Lanyard slot
- ▶ Dimensions: (H)280x(W)51x(D)38 mm
- ▶ Weight: 275g



Daily professional use The toughest



HEADLIGHTS

Best hands-free solutions

IMPROVED



HARD CASE PRO MAGNET HEADLIGHT
Minimum order: 4
3XAAA batteries included
EAN: 39800 123 602

HARD CASE PRO MAGNET HEADLIGHT

- ▶ Removable over head strap
- ▶ Pivoting, detachable light module with intergrated magnets for hands-free versatility
- ▶ Light modes: high and low
- ▶ Beam: mixed
- ▶ Dimensions: (H)64x(W)45x(D)36 mm
- ▶ Weight: 100g

High mode	LUMENS 400 LUMENS	REACH 80m	RUN TIME 3h30	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	75lm	30m	30h		

IMPROVED



HARD CASE PRO HELMET HEADLIGHT
Minimum order: 6
3XAAA batteries included
EAN: 4891138 958 631

HARD CASE PRO HELMET HEADLIGHT

- ▶ Non-slip adjustable headstrap with silicon layers to fit most helmets
- ▶ Top strap for greater stability
- ▶ Universal and adhesive clips to reinforce attachment
- ▶ Pivoting head to shine where needed
- ▶ Light modes: high and low
- ▶ 3 beam modes: Wide, Concentrated, Mixed
- ▶ Independent switches allow precise operation of wide and concentrated beam modes
- ▶ Dimensions: (H)76x(W)45x(D)38 mm
- ▶ Weight: 150g

High mode	LUMENS 600 LUMENS	REACH 140m	RUN TIME 4h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	100lm	55m	23h		

lights you will ever need



SPOTLIGHT

Powerful long distance and precise lighting

IMPROVED



HARD CASE PRO RECHARGE SPOTLIGHT
Minimum order: 4
6XAA NiMH rechargeable batteries included
EAN: 4891138 958 013



HARD CASE PRO SPOTLIGHT

- ▶ Rechargeable spotlight
- ▶ Works with Rechargeable NiMH, Alkaline or Lithium batteries, for extra convenience
- ▶ Top laying surface for hands-free convenience
- ▶ Comfortable shape for outstanding grip
- ▶ High and low modes for optimized brightness and runtime control
- ▶ 2 beam modes: concentrated and wide
- ▶ Dimensions: (H)203x(W)89x(D)64mm
- ▶ Weight: 555g

High mode	LUMENS 800 LUMENS	REACH 475m	RUN TIME 2h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m	0.555 KG
Low mode	300lm		6h			




What is ATEX

ATEX (ATmosphere EXplosive) refers to the hazard of explosive atmospheres in the workplace. This is due to flammable gases or combustible dust that mixes in the air which can give rise to the risk of an explosion.

Energizer® ATEX lights are suitable for:

▶ Every atmospheres where Gas and Vapors can cause an explosion (Zone 0, 1 & 2)

▶ Both product groups
Group 1: case specific to mines
Group 2: all surface industries



What are the characteristics of ATEX certified lights?

CE 0539 I M 1 / II 1 / G / Ex / ia / op is / I / IIC T4

- CE Authorized by the European: Committee for electrochemical standardization
- 0539 Marking certifying DEMKO / UL international quality control
- Protection against explosions
- I M 1 Mine equipment, category M1: high protection
- II 1 Surface industry type equipment, category 1: very high protection
- G Suitable for gas and vapor type risk environments
- Ex Tested to the latest European manufacturing standards
- ia Light material design ensuring maximum intrinsic safety
- op is Inherently safe optical radiation protection
- I For use in Mines category 1
- IIC Resistant to gas groups Acetylene and Hydrogen, Ethylene and Propane
- T4 Temperature class 4: resist up to 135°C

Daily professional use

ATEX Intrinsicly safe torches for professionals in hazardous environments




HANDHELD TORCHES

▶ For close-up work & precise lighting



2AA ATEX TORCH

2AA ATEX TORCH
 Minimum order: 4
 2xAA Batteries not included
 EAN: 8888021 302 622



2D ATEX TORCH

2D ATEX TORCH
 Minimum order: 4
 2xD Batteries not included
 EAN: 8888021 302 646

▶ IP Rating: IP67
 ▶ Ribbed casing for a secure grip
 ▶ Lanyard loop
 ▶ Large push button switch
 ▶ Shatterproof lens
 Dimensions: 2AA: (H)187x(W)56x(D)61 mm, 127g
 2D: (H)210x(W)56x(D)61 mm, 146g



HEADLIGHT

▶ Best hands-free solution



ATEX HEADLIGHT
 Minimum order: 3
 3xAAA Batteries not included
 EAN: 8888021 302 660

High mode



ATEX HEADLIGHT

▶ Top strap for enhanced stability on hard hats
 ▶ Pivoting head
 ▶ Ambient operating range: -20C to +40C
 ▶ IP Rating: IP67
 ▶ Large push button switch
 ▶ Shatterproof lens
 ▶ Dimensions: (H)49x(W)80x(D)53 mm
 ▶ Weight: 75g

TACTICAL LIGHTS



Daily professional use

Tactical light



TACTICAL RECHARGEABLE 1200
Minimum order: 4
EAN: 8888021 303 629

TACTICAL RECHARGEABLE 1200

- ▶ Rechargeable
- ▶ Recharges via USB cable (Included)
- ▶ Charges other devices (USB port out)
- ▶ Durable aircraft grade aluminium
- ▶ Strike Bezel Head
- ▶ Rear push button for one handed operation
- ▶ Dimensions: (H)241x(W)49x(D)49 mm
- ▶ Weight: 337g

High mode	LUMENS 1200 LUMENS	REACH 200m	RUN TIME 4h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
Low mode	250lm		15h		



Tactical light



TACTICAL ULTRA 1000
Minimum order: 4
6XAA batteries included
EAN: 8888021 302 844

TACTICAL ULTRA 1000

- ▶ Rugged construction made of durable aircraft grade aluminium
- ▶ Rear push button to easily change modes
- ▶ Shatterproof lens
- ▶ Versatility: high mode, low mode
- ▶ Emergency strobe mode
- ▶ Dimensions: (H)230x(W)50x(D)50 mm
- ▶ Weight: 340g

High mode	LUMENS 1000 LUMENS	REACH 200m	RUN TIME 4h	WATER RESISTANCE IPX7	DROP RESISTANCE 1m
Low mode	250lm		15h		



TACTICAL RECHARGEABLE
Minimum order: 4
EAN: 8888021 302 837

TACTICAL RECHARGEABLE

- ▶ Rechargeable
- ▶ Durable Aircraft Grade Aluminium
- ▶ Rear easily push button to easily change modes
- ▶ Compact size and lightweight
- ▶ Strike bezel head
- ▶ Removable clip in both orientations
- ▶ Dimensions: (H)158x(W)32,6x(D)32,6 mm
- ▶ Weight: 172g

High mode	LUMENS 700 LUMENS	REACH 100m	RUN TIME 2h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
Moderate mode	100lm		12h		
Low mode	20lm		30h		



TAC700
Minimum order: 4
2x CR123 batteries included
EAN: 8888021 302 608

TAC700

- ▶ Durable aircraft grade aluminium
- ▶ Rear push button allows users to easily change modes while holding the light
- ▶ MAXVIZ Technology to deliver a wide, powerful beam and high-definition vision
- ▶ 4 light modes: high, moderate, low intensity and strobe mode
- ▶ Belt clip for added convenience
- ▶ Dimensions: (H)122x(W)33x(D)33 mm
- ▶ Weight: 113g


High mode	LUMENS 700 LUMENS	REACH 100m	RUN TIME 2h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
Moderate mode	100lm		12h		
Low mode	20lm		30h		

METAL LIGHTS



Occasional professional use

Metal lights



RECHARGEABLE VISION HD METAL LIGHT
Minimum order: 4
EAN: 8888021 302 561

RECHARGEABLE VISION HD METAL

- ▶ Aircraft Grade Aluminum Body
- ▶ Rechargeable Lithium Ion Battery. Non-removable battery
- ▶ USB out: Emergency phone charge via USB
- ▶ 3 light modes: high, low and emergency strobe
- ▶ Beam: Digital Focus for precise light mode dimming
- ▶ Dimensions: (H)226,5x(W)48x(D)48 mm
- ▶ Weight: 378g

High mode	1200 LUMENS	200m	4h	1m	IPX4
Low mode	250lm		8h		

Metal lights

METAL VISION HD LIGHTS

- ▶ Durable aircraft grade aluminum construction provides confidence for any task
- ▶ Up to x12 brighter than standard LED technology
- ▶ Beam: Digital Focus for precise and smooth light intensity dimming (except 3AAA)
- ▶ 3 light modes: high, low, emergency strobe



VISION HD METAL 9AA
Minimum order: 4
EAN: 8888021 303 636

High mode	2000 LUMENS	225m	4h	IPX4	1m
Low mode	250lm		30h		

- ▶ Dimensions: (H)244,6x(W)40.2x(D)60 mm
- ▶ Weight: 419g



METAL VISION HD 6AA
Minimum order: 4
6XAA Alkaline batteries included
EAN: 8888021 303 322

High mode	1500 LUMENS	230m	4h	IPX4	1m
Low mode	250lm		15h		

- ▶ Dimensions: (H)226x(W)48x(D)35 mm
- ▶ Weight: 278g



METAL VISION HD 2AA
Minimum order: 4
2XAA Alkaline batteries included
EAN: 8888021 301 847

High mode	400 LUMENS	115m	4h	IPX4	1m
Low mode	50lm	35m	21h		

- ▶ Dimensions: (H)159x(W)30x(D)22 mm
- ▶ Weight: 108g



METAL VISION HD 3AAA
Minimum order: 6
3XAAA Alkaline batteries included
EAN: 8888021 301 830

High mode	270 LUMENS	84m	2h30	IPX4	1m
Low mode	80lm	45m	12h30		

- ▶ Dimensions: (H)98x(W)34x(D)34 mm
- ▶ Weight: 84g

Dolphin
EVEREADY

**TOUGH
WATERPROOF
FLOATS**

Occasional use



**DOLPHIN INDUSTRIAL
LANTERN**
Minimum order: 24
EAN: 8888021 304 534

DOLPHIN INDUSTRIAL LANTERN

- ▶ Durable and reliable construction for use in demanding work situations
- ▶ Waterproof IPX7 to withstand any weather conditions
- ▶ Floating for easy recovery in water
- ▶ Nonslip handle makes it easy and comfortable to carry
- ▶ Dimensions: 203mm x 133mm x 137mm



**DOLPHIN COMPACT
LIGHT**
Minimum order: 24
EAN: 8888021 302 912

DOLPHIN COMPACT LIGHT

- ▶ Small, Compact and Sleek Design
- ▶ Durable construction
- ▶ Waterproof and Floating
- ▶ Features LED Technology
- ▶ 15x brighter than standard LED technology
- ▶ Operates on 2 or 4 AA Batteries
- ▶ Weight Excluding Batteries: -275 Grams
- ▶ Dimensions: 172mm x 105mm x 103 mm



Occasional use

HANDHELD TORCHES



Dolphin Pico Light
Minimum order: 4
2xAAA Batteries included
EAN: 4891138 956 637

DOLPHIN PICO LIGHT

- ▶ Waterproof and floats for easy recovery
- ▶ Small and compact makes it easy to carry it everywhere
- ▶ Carabiner included for easy attachment
- ▶ Features LED Technology
- ▶ Operates on 2x AAA Batteries
- ▶ Weight Excluding Batteries: 46 Grams
- ▶ Dimensions: 102mm x 35mm x 35mm



DOLPHIN MINI LIGHT



Dolphin Mini Light
Minimum order: 4
4xAA Batteries included
EAN: 8888021 302 035

- ▶ Durable and reliable construction for use in demanding situations
- ▶ Waterproof to withstand any weather conditions
- ▶ Floats for easy recovery in water
- ▶ Non-slip handle and lanyard loop for safe and secure grip
- ▶ Operates on 2 or 4 AA Batteries
- ▶ Dimensions: 317mm x 135mm x 69mm



HEADLIGHTS



A complete range of hands-free solutions

COMFORTABLE

Compact and stylish
Practical lightweight solutions
Adjustable headband

RELIABLE IN EVERY WORK SITUATION

Water resistant
Shatterproof lens

HIGH PERFORMANCE

Latest LED technology
Pivoting head to direct light as needed
Dim light intensity for vision comfort




Daily professional use

HEADLIGHTS

Comfortable, reliable in every work situation and high performance
Best hands-free solutions



Red and Green LEDs for night vision



RECHARGEABLE HEADLIGHT
Minimum order: 4
EAN: 8888021 302 523

RECHARGEABLE HEADLIGHT


- ▶ Rechargeable Lithium Ion Battery
Fully charge in 4 hours*
- ▶ Charges via standard micro USB cable
- ▶ 7 light modes: High, Low, Wide, Wide Low, Red, Flashing Red, Green
- ▶ Water-resistant with shatterproof lens
- ▶ Beam modes: Wide, Concentrated and Mixed
- ▶ Dimensions: (H)60x(W)46x(D)39 mm
- ▶ Weight: 80g

*Light must be turned off while charging

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	400 LUMENS	80m	4h	IPX4	1m
Low mode	20lm	25m	15h		



Red and Green LEDs for night vision



VISION ULTRA HD HEADLIGHT
Minimum order: 6
3XAAA batteries included
EAN: 8888021 302 332

VISION ULTRA HD HEADLIGHT

- ▶ VisionGuard helps protect eyes by gradually increasing light intensity
- ▶ Low battery indicator
- ▶ 7 light modes: High, Low, Wide, Wide Low, Red, Flashing Red, Green
- ▶ Beam modes: Wide, Concentrated and Mixed
- ▶ Dimensions: (H)59x(W)49x(D)37 mm
- ▶ Weight: 53g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	450 LUMENS	85m	2h45	IPX4	1m
Low mode	30lm	20m	50h		

Occasional professional use



VISION HD+ FOCUS

VISION HD+ FOCUS HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 4891138 960 030

- ▶ Memory recall to access favorite mode
- ▶ Next push off to avoid unnecessary switch cycles
- ▶ Digital focus technology: precise control of beam angle
- ▶ Light modes: high, low, dimming and red light for night vision
- ▶ 2 beam modes: wide and concentrated
- ▶ Dimensions: (H)59x(W)49x(D)36 mm
- ▶ Weight: 53g

	LUMENS 400 LUMENS	REACH 85m	RUN TIME 3h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
High mode					
Low mode	45lm	30m	35h		

Occasional professional use



VISION HD

VISION HD HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 4891138 959 836

- ▶ Next push off to avoid unnecessary switch cycles
- ▶ Adjustable elastic headband and pivoting head
- ▶ Light modes: high, low, dimming
- ▶ 2 beam modes: wide and concentrated
- ▶ Dimensions: (H)59x(W)49x(D)36 mm
- ▶ Weight: 52g

	LUMENS 300 LUMENS	REACH 55m	RUN TIME 4h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
High mode					
Low mode	45lm	25m	35h		



VISION HD+

VISION HD+ HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 4891138 959 935

- ▶ Next push off to avoid unnecessary switch cycles
- ▶ Adjustable elastic headband and pivoting head
- ▶ Light modes: high, low, dimming and red light for night vision
- ▶ 2 beam modes: wide and concentrated
- ▶ Dimensions: (H)59x(W)49x(D)36 mm
- ▶ Weight: 53g

	LUMENS 350 LUMENS	REACH 80m	RUN TIME 4h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
High mode					
Low mode	45lm	30m	35h		



VISION

VISION HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 4891138 959 737

- ▶ Bright, white LED technology
- ▶ Shatterproof lens
- ▶ Light modes: high and low
- ▶ Dimensions: (H)59x(W)49x(D)32 mm
- ▶ Weight: 51g

	LUMENS 200 LUMENS	REACH 50m	RUN TIME 7h	WATER RESISTANCE IPX4	DROP RESISTANCE 1m
High mode					
Low mode	45lm	25m	20h		

DIY LIGHTS



Occasional professional use



LANTERN LIGHT

Light a wide working area



IMPROVED



RECHARGEABLE LANTERN:
Minimum order: 2
EAN: 8888021 302 875

RECHARGEABLE LANTERN

- ▶ Rechargeable
- ▶ Durable Construction
- ▶ USB Port out
- ▶ Powerful and bright: 360 area lighting
- ▶ Steady base
- ▶ Comfortable non-slip grip
- ▶ Shatterproof lens
- ▶ Dimensions: (H)158,7x(W)72,4x(D)254,3 mm
- ▶ Weight: 695g




IMPROVED



USB LANTERN
Minimum order: 2
4xD batteries not included
EAN: 8888021 302 158

USB LANTERN

- ▶ Dimming Feature for customized light output
- ▶ Powerful 360° area lighting
- ▶ USB port out: charges devices
- ▶ Steady base for hands-free Non-slip grip
- ▶ Dimensions: (H)254x(W)158,6x(D)72 mm
- ▶ Weight: 581g



SMART LIGHTS



Occasional use



INSPECTION LIGHT
Minimum order: 4
2xAAA batteries included
EAN: 7638900 430 295

INSPECTION LIGHT

- ▶ Ideal for inspecting things up close
- ▶ Shatterproof lens
- ▶ Clip
- ▶ Push button tail switch
- ▶ Versatile usage
- ▶ Durable Aircraft Grade Aluminum
- ▶ Dimensions: (H)144x(D)22x(W)22 mm
- ▶ Weight: 45g



NOTES

Lined area for notes on page 54.

Lined area for notes on page 55.

Energizer[®]

