


# Section 7

## Installation Accessories




## Mounting blocks




Pack	Cat No.	Description
		Mounting centres: 84mm. Standard colour is white. Other colour options are available in minimum order quantities. Please check availability at time of ordering.
		<b>Surface mounting blocks and spacers</b>
10	137	Surface mounting block, 13mm deep, suits powerpoints
10	137D	Surface mounting block, 18mm deep, suits switches and powerpoints
10	138	Spacer plate for Cat. No. 140 mounting block. 80.5 x 125 x 8.5mm Increases projection depth to 43.5mm & provides a double insulated rear base.
10	137H3	Horizontal mounting block, for mounting on 300mm dia column
10	137H4	Horizontal mounting block, for mounting on 400mm dia column
10	137H5	Horizontal mounting block, for mounting on 500mm dia column
10	137H6	Horizontal mounting block, for mounting on 600mm dia column
10	137H8	Horizontal mounting block, for mounting on 800mm dia column
10	137HS3	Round column mounting spacer for horizontal mounting. 300mm dia column
10	137HS4	Round column mounting spacer for horizontal mounting. 400mm dia column
10	137HS5	Round column mounting spacer for horizontal mounting. 500mm dia column
10	137HS6	Round column mounting spacer for horizontal mounting. 600mm dia column
10	137HS8	Round column mounting spacer for horizontal mounting. 800mm dia column

10	137V3	Vertical mounting block, for mounting on 300mm dia. column
10	137V4	Vertical mounting block, for mounting on 400mm dia. column
10	137V5	Vertical mounting block, for mounting on 500mm dia. column
10	137V6	Vertical mounting block, for mounting on 600mm dia. column
10	137V8	Vertical mounting block, for mounting on 800mm dia. column
10	137VS3	Round column mounting spacer for vert. mounting, 300mm dia. column
10	137VS4	Round column mounting spacer for vert. mounting, 400mm dia. column
10	137VS5	Round column mounting spacer for vert. mounting, 500mm dia. column
10	137VS6	Round column mounting spacer for vert. mounting, 600mm dia. column
10	137VS8	Round column mounting spacer for vert. mounting, 800mm dia. column



Pack	Cat No.	Description
		<b>Double &amp; triple mounting blocks for Standard range</b>
5	148	Double size mounting block, suits standard wall box. To surface mount 2 x standard size plates, 70 x 114mm. 84mm mounting centres
5	139	Triple size surface mounting block, 92 x 191 x 29mm. For 3G series triple powerpoints, 798 or 798V shaver outlets with spacer Cat. No. 139B
5	139B	Triple size spacer plate. For use with Cat. No. 139.



Pack	Cat No.	Description
		<b>Surface mounting block for Four-in-one</b>
10	137/1	Surface mounting block, 16mm deep, suits four-in-one powerpoint [XL7774]
		<b>Square plate mounting block</b>
5	149	Square mounting block, 122mm square x 38mm. Suits 114mm square plates with 46 x 84mm mounting centres.




Pack	Cat No.	Deep surface mounting blocks
10	140	Surface mounting block, 37mm deep, suits powerpoints, switches & electronic modules.
10	137DCH	<b>Mounting blocks chemically resistant</b> Surface mounting block, 18mm deep, for switches and powerpoints
10	140CH	Surface mounting block, 37mm deep, suits powerpoints, switches & electronic modules
		<b>Weatherproof surface mounting bases</b>
5	170	Mounting base for WS40 series. 83mm sq x 39mm deep. 25mm conduit knockouts side of rear. IP53
1	WS44B	Mounting base for WS44, 113 x 165 x 45mm. 83mm sq x 39mm deep. 25mm conduit knockouts side of rear. IP53
		<b>Weatherproof mounting blocks</b>
10	239	Surface mounting block, rated IP56 Dimensions 120 x 75 x 44mm, 41mm inside depth. Suits all standard size Excel and Standard range switches, powerpoints and electronic modules.



Pack	Cat No.	Surface mounting blocks architrave size
10	141	Architrave size 1 gang mounting block, 57mm centres. 74 x 28 x 25mm. Suits plate 32mm wide. Cat. No. A770/1
10	156	Architrave size 2 gang mounting block, 70mm centres. 86 x 36 x 26mm. Suits plate 35mm wide. Cat. No. A770/2, XLA770/1 & XLA7770/2

Pack	Cat No.	Narrow surface mounting blocks
10	150	Narrow mounting block, 52 x 150 x 24mm, 78mm mounting centres, Suits AL770/12, AL770/22 & 790
5	192	Double narrow mounting block, 52 x 162 x 24mm, 137mm mounting centres. Suits plate 46mm wide. Cat. No. 792 & 792B

## Fireboxes



Pack	Cat No.	2hr fire rated acoustic (STC54) standard wall boxes
		Size 97 x 67 x 40mm.
1	430	Firebox. Cable centres top & rear. Quick-fit mounting claws
1	430A	Firebox. Cable centres top & rear. Quick-fit mounting claws, earth stud
1	430/2	Firebox with intumescent bridging for multi-installations

## Wall boxes



Pack	Cat No.	Standard wall boxes
		Size 97 x 67 x 40mm.
1	429	Standard wall box with sliding nuts & retention clips. Supplied with 2 Pozidrive screws for fixing plate to box.
1	429A	Wall box less Pozidrive screws



Pack	Cat No.	Description
1	429/2	<b>Double size wall boxes</b> Mounting centres: 84mm. Size 97 x 57 x 40mm.  Double size wall box for flush mounting in brick & concrete. Supplied with 2 Pozidrive screws for fixing plate to box.
1	429/2A	Double size wall box for flush mounting in brick & concrete. No screws.
1	42552	Segregated wall box. 2 gang. Suits Harmony double plate combinations.



Pack	Cat No.	Description
10	326	<b>Triple size wall boxes</b> Size 165 x 70 x 45mm deep.  Triple wall box. 152mm mounting centres. Suits 3G788, 798, 798V, MS798 & MS798V



Pack	Cat No.	Description
20	920	<b>Wall boxes for Multi Series</b> Size 100mm high x 40mm deep.  2 gang Multi series wall box. 103mm wide, 84mm mounting centres. Suits all SQ series plates & MS770/24, MS770/26 & MS788/2
20	930	3 gang Multi series wall box. 149mm width, 84mm mounting centres. Suits MS770/36, MS770/39 & MS788/3
20	940	4 gang Multi series wall box. 195mm width, 84mm mounting centres. Suits MS770/48, MS770/412 & MS788/4
20	950	5 gang Multi series wall box. 241mm width, 84mm mounting centres. Suits MS770/510, MS770/515 & MS788/5

20	960	6 gang Multi series wall box. 287mm width, 84mm mounting centres. Suits MS770/612, MS770/618 & MS788/6
1	920/1	<b>Dual wall boxes</b> Size 53 x 206 x 50mm deep  Dual wall box. Accepts 2 Excel grids, double horizontal, or double vertical

## Mounting clips



Pack	Cat No.	Description
50	711	<b>Mounting clips for standard sized switches, powerpoints etc on 84mm mounting centres</b>  Mounting clip for 6.4mm wallboard. Max cut out 50 x 76mm. Suits Standard, Excel and Arch Metal Ranges, with standard mounting centres. 45 x 102mm, 84mm mounting centres.
50	712	Mounting clip for 10.0mm plaster-board/gyprock. Max cut out 50 x 76mm. Suits Standard, Excel & Arch Metal Ranges. With standard mounting centres. 48 x 102mm, 84mm mounting centres.
20	716	<b>Mounting clip for battenholders, ceiling switches, ceiling roses and plug bases</b>  Mounting clip for 12.7mm plaster-board/gyprock. Max cut out 30 x 40mm. Suits 366, 368, 369, 80, 84, 601, 37 & 35. 75 x 48mm, 51mm mounting centres.

## Mounting brackets




Pack	Cat No.	Standard size mounting brackets
20	143	Standard size mounting bracket
20	143JM	Standard size mounting bracket with external mounting flange
20	143/2	Horizontal bracket, stud-mounting with nails
1	143/2V	Vertical bracket, stud-mounting with nails
20	V&S404	Standard vertical mounting bracket
Triple size mounting brackets		
20	243	Triple size mounting bracket, with 152mm mounting centres. Suits 3G788



Pack	Cat No.	Triple size segregated mounting brackets
Suitable for Harmony Excel combinations.		
1	143S3	Segregated stud bracket. 3 gang
1	712S3	Segregated gyprock bracket. 3 gang
1	953S3	Segregated render bracket. 3 gang

## Render brackets




Pack	Cat No.	Render brackets
20	953	Single gang, behind plaster adaptor plate, 146 x 149mm, 84mm mounting centres

## Shrouds


Pack	Cat No.	Shroud
20	751	Standard size shroud to fit opening 53 x 73 x 51mm deep. Suits 953, 143, 143JM, V&S404, 711 & 712
1	749	Insulating shroud, suits all 770 series round mechanisms, 21mm diameter 21mm sq. Overall length 45mm with 13mm sq exit hole for cable.

## Junction boxes



Pack	Cat No.	Junction boxes
10	413	Miniature junction box, with 3 terminals, (6mm bore). 30A. Size 37 x 68 x 22mm
10	413S	Miniature junction box, with 3 terminals, (5mm bore), cord grip entry. 30A. Size 37 x 78 x 22mm
10	413SE	Miniature junction box, with 2 terminals, (4mm bore), earth terminal, (5mm). 30A. With earthing strap. Size 37 x 68 x 22mm
10	413LA	Enclosed terminal box for use by telecommunication providers. Size 37 x 68 x 22mm
5	J170	Modular weatherproof junction box, 40A, 415V with connectors. (3 x 1 screw, 1 x 2 screw). 83mm square x 65mm deep
10	404	Standard size junction box, with 4 x 40A connectors, (3 x 1 screw, 1 x 2 screw). Size 68 x 68 x 38mm
10	405	Giant size junction box, without connectors. Size 68 x 89 x 44mm
10	406	Giant size junction box, with 4 x 50A connectors, (3 x 1 screw, 1 x 2 screw). Size 68 x 89 x 44mm
10	408	Jumbo size junction box, with 4 x 50A connectors, (3 x 1 screw, 1 x 2 screw). Size 89 x 89 x 37mm

## Insulated and earth connectors



Pack	Cat No.	Insulated and earth connectors
100	401	40A heavy duty connector, 1 screw, 6mm hole, clear moulding
1	401/1	40A heavy duty connector. 1 screw, 6mm hole, clear moulding. Stack Pack. (Quantity 100)
1	401J	40A heavy duty connector, 1 screw, 6mm hole, clear moulding. (Jar of 100)
100	401L	50A heavy duty connector, 1 screw, 6.6mm hole, blue tinted moulding
50	402	40A heavy duty connector, 2 screws, 6mm hole, clear moulding
1	402/1	40A heavy duty connector. 2 screws, 6mm hole, clear moulding. Stack Pack. (Quantity 50)

## Cable clips and screws

Pack	Cat No.	Cable clips and screws
1	CL3B	13mm plastic flat cable clip with captive steel nail. (bucket of 500)
100	246	76mm long 6-32 American thread screw, raised countersunk head. -Specify, Nickel plated or florentine bronze
100	247	51mm long 6-32 American thread screw, raised countersunk head. -Specify, Nickel plated or florentine bronze
100	248	32mm long 6-32 American thread screw, raised countersunk head. -Specify, Nickel plated or florentine bronze