Catalogue No: CA7-30-00-240VAC

CONTACTOR 15kW 3P 240V AC COIL

Motor Control and Drives > Motor Starting and Protection > Contactors > Sprecher + Schuh Contactors > CA7 Contactors 4 to 55kW > 3 Pole Contactors with AC Coil





Representative Photo Only (actual product may vary based on configuration selections)

Contactor 3 pole 30A 15kW 240V AC Coil

- Easy selection with 12 sizes, one for each standard motor kW rating (4-55kW)
- Common accessories for the range
- Side or top mount auxiliary contacts provide flexibility to suit enclosure space

| SPECIFICATIONS | |
|--|-----------------------|
| Product Series | CA7 |
| Component Type Motor Control and Drives | Standard Contactor |
| le, Rated Operational Current, AC-1, 415V, 40°C | 65 A@415V,40°C |
| kW Rating, AC-3, 415V, 60°C | 15 kW @415V, 60°C |
| le, Rated Operational Current, AC-3, 415V, 60°C | 30 A@415V,60°C |
| kW Rating, AC-3, 690V, 60°C | 15 kW @690V, 60°C |
| le, Rated Operational Current, AC-3, 690V, 60°C | 18 A@690V,60°C |
| Number of Poles | 3 |
| Contact Configuration, Main Poles | 3 NO main poles |
| Coil Type | Conventional type |
| Coil Consumption Hold-in VA AC coiled contactors | 3.1 VA 12.3 |
| Coil Consumption Pickup VA AC coiled contactors | 105 VA |
| Integrated Aux | No Auxiliary Contacts |
| Coil Voltage | 240 V AC V |
| Un, Coil Voltage, AC @50Hz, Nom | 240 V AC nom @50Hz |
| Un, Coil Voltage, AC @50Hz, Min | 204 V AC min @50Hz |
| Un, Coil Voltage, AC @50Hz, Max | 264 V AC max @50Hz |
| Un, Coil Voltage, AC @60Hz, Nom | 277 V AC nom @60Hz |
| Un, Coil Voltage, AC @60Hz, Min | 235 V AC min @60Hz |
| Un, Coil Voltage, AC @60Hz, Max | 304 V AC max @60Hz |
| IP Rating | IP20 |




Catalogue No: CA7-30-00-240VAC

CONTACTOR 15kW 3P 240V AC COIL

 ${\it Motor Control \ and \ Drives > Motor \ Starting \ and \ Protection > Contactors > Sprecher + Schuh \ Contactors > CA7 \ Contactors 4 to 55kW > 3 Pole \ Contactors \ with \ AC \ Coil}$



| REFERENCES | |
|---|---|
| IECEx Certificate | - |
| Supplier Declaration of Conformity: | - |
| Installation Guide: | - |
| User Manual: | - |
| Manufacturer Datasheet: | - |
| Manufacturer Catalogue & Product Selection: | - |





Catalogue No: CA7-30-00-240VAC

CONTACTOR 15kW 3P 240V AC COIL

 ${\it Motor Control \ and \ Drives > Motor \ Starting \ and \ Protection > Contactors > Sprecher + Schuh \ Contactors > CA7 \ Contactors 4 to 55kW > 3 Pole \ Contactors \ with \ AC \ Coil}$



Mounting Position 250

Technical Diagram

