

# Product datasheet

Specifications



EVlink Pro AC, Enclosure, Metal, IP66, pedestal mount in metallic kit enclosure, for 25mm<sup>2</sup> to 35mm<sup>2</sup> cable

EVA1RFKES

## Main

Range	EVlink
Product Name	EVlink Pro AC Metal
Product Or Component Type	Enclosure
Range Compatibility	EVlink EVlink Pro AC EVB3 charging station
Poles Description	3P + N
Mounting Mode	Assembled
Localisation On Device	On lower part
Rated Supply Voltage	380...415 V AC 50/60 Hz 220...240 V AC 50/60 Hz
Earthing System	TT TN-S TN-C-S IT Compatible IT with additional isolation transformer on the power supply

## Complementary

Provided Equipment	1 mounting plate 2 DIN rail 4 fixing bracket 3 cable gland
Din Rail Length	240 mm
Mounting Plate Description	Telequick perforated
Cable Entry Number	2 cable gland for M32 1 cable gland for M12
Cable Cross Section	25...35 mm <sup>2</sup>
Height	360 mm
Width	270 mm
Depth	180 mm
Net Weight	3.4 kg

## Environment

Ip Degree Of Protection	IP66
Ik Degree Of Protection	IK09
Ambient Air Temperature For Operation	-30...70 °C

## Packing Units

<b>Unit Type Of Package 1</b>	PCE
<b>Number Of Units In Package 1</b>	1
<b>Package 1 Height</b>	19.000 cm
<b>Package 1 Width</b>	29.000 cm
<b>Package 1 Length</b>	38.500 cm
<b>Package 1 Weight</b>	3.231 kg
<b>Unit Type Of Package 2</b>	P12
<b>Number Of Units In Package 2</b>	40
<b>Package 2 Height</b>	110.000 cm
<b>Package 2 Width</b>	80.000 cm
<b>Package 2 Length</b>	120.000 cm
<b>Package 2 Weight</b>	153.500 kg

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations