

90cm freestanding cooker range

Preparing large family feasts and entertaining friends has just become a whole lot easier thanks to our 90cm freestanding cooker.

With its hugely practical 125L gross capacity and super-quick heat up time, you'll enjoy perfect results no matter what you cook.

By having dual valve control you can take the flame from the highest setting of 17MJ/h down to a simmer, allowing you to create delicious tasting meals for your family in no time at all.

Beautifully designed, and feature-packed, this large, easy to clean oven, with no-fuss PyroClean on selected models is set to become the new family favourite.





Room for everything with FamilySize ovens

With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for last-minute school fundraisers!

* Based on International Standard IEC 60350-1



No-fuss PyroClean oven

The Westinghouse PyroClean ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).



Twin fan system for even cooking

Cook each dish to perfection with the Twin fan system. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



High powered wok burner

With the highest setting reaching 17MJ/h, you can create delicious tasting meals in no time at all for your family, allowing you to have more time for you and them.



FamilySafe cool doors

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.



Dual valve control


The dual valve control lets you adjust your flame size so you can cleverly go from boil to simmer in an instant.

90cm freestanding cookers

Features



Model	WFE946SC
type	electric freestanding
available finishes	stainless steel
hob~	
type	ceramic
burners/elements	5
front left	1200W
front right	1800W
centre	1400/2200W (dual zone)
rear left	800/1600/2300W (triple zone)
rear right	1200W
control type	touch
rivets	
gnition	
FamilySafe flame failure	
wok support	
main oven	
type	electric
oven functions	multifunction 11
capacity	
- gross (litres)	125
- usable (litres)	116
pyrolytic functions	
oven cleaning	easy clean door, removable door
timer	programmable touch control
ights	2
glass layers in door	3
soft close door	
general features	
twin fan system	✓
grill in oven	✓
number of shelves	2
grill dish	2
grill insert	2
grill rack	1
connection	hardwired
maximum power rating (amps)	52
maximum gas rating (MJ/h)	
storage compartment	✓
kick plate / plint included	✓
dimensions†	
overall H x W x D (mm)	906-926 x 895 x 600
removable splashback height (mm)	60
freestanding cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
freestanding cut-out (on plinth with feet removed) HxWxD (mm)	755 max x 900 min x 600



[^] Height refers to height to hob. This does not include the height of the trivets above the hob.







WFE904SC	WFE914SC	WFEP915SC
dual fuel freestanding	dual fuel freestanding	dual fuel freestanding, pyrolytic
stainless steel	stainless steel	stainless steel
gas	gas	gas
5	5	5
5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
12.1 MJ/h	12.1 MJ/h	12.1 MJ/h
14.4 MJ/h (wok)	14.4 MJ/h (wok)	17 MJ/h (wok)
9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
knob	knob	knob
cast iron	cast iron	cast iron
electronic underknob	electronic underknob	electronic underknob
✓	✓	√
✓	✓	√
electric	electric	electric
multifunction 8	multifunction 8	multifunction 12
125	125	125
116	116	116
light, normal		light, normal
easy clean door, removable door	easy clean door, removable door	pyrolytic, easy clean door, removable door
120min auto off	3 button touch control	programmable touch control
2	2	2
3	3	4
-		√
✓	√	√
<u>√</u>	√	
2	2	2
2	2	2
2	2	2
1	1	1
hardwired	hardwired	hardwired
15	15	25
49	49.4	49.4
	√	-
optional accessory	✓	√
910-930 x 895 x 600	910-930 x 895 x 600	910-930 x 895 x 600
60	60	60
900 nominal x 900 min x 600	900 nominal x 900 min x 600	900 nominal x 900 min x 600

 $^{^\}dagger$ Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

[~] Burner outputs shown above are for natural gas connection.

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

[~] Burner outputs shown above are for natural gas connection.

54cm & 60cm freestanding cooking range

Our 54cm and 60cm freestanding cooker range features convenient separate grills and the same FamilySize oven platform as our latest built-in models. Our latest range of slot-in cookers can be freestanding or integrated into kitchen cabinetry for a seamless design, while the upright range has rear controls to keep those curious little fingers at bay.

Both the 54cm and 60cm ranges are available in full electric and full gas combinations, while selected models are also available in a dual fuel combination of electric oven and gas cooktop.





Class-leading capacity

The large 80L gross capacity oven is designed to fit wide and deep trays with up to 5 shelf positions, allowing you to cook large meals and cater to any number of guests, using either single or multi-shelf cooking.



Easy-clean oven

Enjoy easy cleaning with one seamless fully sealed oven cavity. With no awkward joints, nooks or crannies to trap grease, a simple wipe is all you need to keep your oven clean. What's more, the formed shelf supports on the inside of your oven make cleaning easier.



Handy separate grilling compartment

Enjoy the ability to grill and bake at the same time while keeping different cooking flavours and smells apart. Even with such a large main oven capacity, you can enjoy the convenience of a separate grill, without compromising on precious oven space. (Selected models only)



Durable surfaces

Whether you prefer white enamel or stainless steel, enjoy a sparkling finish every time. With supreme durability on external surfaces, you can be assured your cooker will look as good as new for years to come.



High performance cooktops

Whether you prefer cooking with gas or the practicality of coils, easy-clean solid or stylish ceramic, our cooktops provide the ultimate in power and



ease of use.

54cm & 60cm slot-in cooker range



High performance cooktops

Choose between stylish and powerful ceramic cooktops, with high performance elements, including dual zones, or gas models with a high powered triple ring wok burner, allowing you to cook anything with ease, from family stir-frys to slow simmering.



Easy clean ceramic surface

Not only aesthetically pleasing, the full glass ceramic hob with touch controls is easy to use and clean and eliminates dirt traps.

(Selected models only



Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Your customers will keep their ovens looking like new with our easy-to-clean, smudge-free stainless steel.



Durable cast iron trivets

The Westinghouse cast iron trivets have been designed for greater pot and pan stability, enabling easy pot movement between burners.

(Selected models only).



Easy ignite

For busy kitchens the easy ignite under knob ignition is quick, simple and safe to use.



FamilySafe Flame failure device

Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished.



 $oldsymbol{8}$

60cm slot-in electric, gas & dual fuel

Features[†]



Model	WFE642SA*	WFE647SA	WFE647WA
type	electric freestanding	electric freestanding	electric freestanding
nominal width (mm)	600	600	600
available finishes	stainless steel	stainless steel	white
grill type	electric grill in oven	separate electric grill	separate electric gri
hob~			
type	ceramic	ceramic	ceramic
number of burners / elements	4	4	4
left front	1000/2200W (dual zone)	1000/2200W (dual zone)	1000/2200W (dual zone)
left rear	1200W	1200W	1200W
right front	1200W	1200W	1200W
right rear	1800W	1800W	1800W
control type	knobs	knobs	knobs
hot surface indicator	<u> </u>	✓	✓
power on indicator	<u> </u>	✓	✓
trivets			
ignition			
FamilySafe flame failure			
cast vent at rear	<u> </u>	✓	✓
main oven			
type	electric	electric	electric
oven functions	fan forced	fan forced	fan forced
capacity#			
- gross (litres)	80	80	80
- usable (litres)	68	74	74
closed door grilling	✓		
timer	2 hour mechancial	2 hour mechancial	2 hour mechancial
lights	1	1	1
door glass layers	2	2	2
easy clean formed shelf supports	✓	✓	✓
FamilySafe oven flame failure			
general features			
removable splashback	✓	✓	✓
number of shelves	2	2	2
oven tray	2	2	2
telescopic runners (in grill)		✓	✓
grill/roasting dish	<u> </u>	✓	✓
dish insert	wire	smokeless	smokeless
FamilySafe grill flame failure			
connection			
type	hardwire	hardwire	hardwire
maximum power rating (kW)	8.7	10.5	10.5
maximum gas rating (NG)			
dimensions [†]			
overall^ H x W x D (mm)	916 x 596 x 632	916 x 596 x 632	916 x 596 x 632
height of splashback (mm)	60	60	60

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.











WFG617SA"	WFG617WA"	WFE616SA ^{+*}	WFE619SA ⁺	WFE619WA⁺
gas freestanding	gas freestanding	dual fuel freestanding	dual fuel freestanding	dual fuel freestanding
600	600	600	600	600
stainless steel	white	stainless steel	stainless steel	white
separate gas grill	separate gas grill	electric grill in oven	separate electric grill	separate electric grill
, ,	, , ,			
gas	gas	gas	gas	gas
4	4	4	4	4
14.2 MJ/h	14.2 MJ/h	14.2 MJ/h	14.2 MJ/h	14.2 MJ/h
(triple ring wok)	(triple ring wok)	(triple ring wok)	(triple ring wok)	(triple ring wok)
9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
12.1 MJ/h	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h
knobs	knobs	knobs	knobs	knobs
cast iron	cast iron	cast iron	cast iron	cast iron
electronic push button	electronic push button	electronic push button	electronic underknob	electronic underknob
√	✓	√	✓	✓
✓	✓	✓	✓	✓
gas	gas	electric	electric	electric
fan	fan	fan forced	fan forced	fan forced
80	80	80	80	80
72	72	68	74	74
		√		
2 hour mechancial	2 hour mechancial	2 hour mechancial	2 hour mechancial	2 hour mechancial
1	1	1	1	1
2	2	2	2	2
✓	✓	─	✓	✓
✓	✓			
✓	✓	✓	✓	✓
2	2	2	2	2
2	2	2	2	2
✓	✓		✓	✓
✓				
	✓	✓	✓	✓
smokeless	 smokeless	✓ wire	√ smokeless	smokeless
smokeless ✓				
	smokeless			
	smokeless			
√	smokeless ✓	wire	smokeless	smokeless
√	smokeless ✓	wire 10a plug	smokeless 20a plug 4.1	smokeless 20a plug
√ 10a plug	smokeless ✓ 10a plug	Wire 10a plug 2.3	smokeless 20a plug	smokeless 20a plug 4.1
√ 10a plug	smokeless ✓ 10a plug	Wire 10a plug 2.3	smokeless 20a plug 4.1	smokeless 20a plug 4.1

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

 $^{^{\}scriptscriptstyle \dagger}$ Refer to the product information on the back page of this brochure.

 $[\]hbox{* This product is exclusive to specific retailer stores. For all participating, visit westing house.com.au for more information.}$

[#] Based on International Standard IEC 60350-1

[~] Burner outputs shown above are for natural gas connection.

[^] Height refers to height to hob. This does not include the height of the trivets above the hob. " Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

⁺ Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

 $^{^{\}dagger}\,$ Refer to the product information on the back page of this brochure.

 $[\]hbox{^* This product is exclusive to specific retailer stores. For all participating, visit westinghouse.com.} au for more information.$

[#] Based on International Standard IEC 60350-1

[~] Burner outputs shown above are for natural gas connection.

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

[&]quot; Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

⁺ Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

54cm slot-in ceramic & dual fuel



Features[†]

Model	WFE547SA	WFE517SA⁺
type	electric freestanding	dual fuel freestanding
nominal width (mm)	540	540
fingerprint-resistant stainless steel finish	✓	✓
grill type	separate electric grill	separate electric grill
hob~		
type	ceramic	gas
number of burners / elements	4	4
left front	1000/2200W (dual zone)	14.2 MJ/h (triple ring wok)
left rear	1200W	9.0 MJ/h
right front	1200W	5.1 MJ/h
right rear	1800W	9.0 MJ/h
control type	knobs	knobs
hot surface indicator	<u> </u>	
power on indicator	<u> </u>	
trivets		cast iron
ignition		electronic push button
FamilySafe flame failure		✓
cast vent at rear	✓	
main oven		
type	electric	electric
oven functions	fan forced	fan forced
capacity#		
- gross (litres)	80	80
- usable (litres)	74	74
closed door grilling		
timer	2 hour mechancial	2 hour mechancial
lights	1	1
door glass layers	2	2
easy clean formed shelf supports	<u> </u>	√
FamilySafe oven flame failure		
general features		
removable splashback	<u></u>	√
number of shelves	2	2
telescopic runners (in grill)		√
grill/roasting dish	<i></i>	√
dish insert	smokeless	smokeless
connection		
type	hardwire	20A plug
maximim power rating (kW)	10.5	4.1
maximum gas rating (NG)		37.3 MJ/h
dimensions [†]		
overall^ H x W x D (mm)	914 x 540 x 632	910 x 540 x 632
removable splashback height (mm)	60	60

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

- † Refer to the product information on the back page of this brochure.
- # Based on International Standard IEC 60350-1
- $\,\tilde{}\,$ Burner outputs shown above are for natural gas connection.
- ^ Height refers to height to hob. This does not include the height of the trivets above the hob.
- + Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

54cm & 60cm upright cooker range



Easy reach rear controls

The unique easy reach angled rear control system offers you and your family peace of mind while cooking by keeping oven controls far from children's reach.

(Selected models only).



Digital programmable timer

With 3 simple-to-operate buttons, you can automatically set the oven to turn on or off, or simply use the clock as a timer.

(Selected models only).



Practical coil elements

Both practical and durable, the coil elements provide an easy cleaning solution as parts can be easily removed for cleaning.

(Selected models only).



Hot surface indicator

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only).



54cm upright electric & gas

Features[†]



Model	WLE525WB	WLE527WA	WLE535WB
type	electric freestanding	electric freestanding	electric freestanding
nominal width (mm)	540	540	540
available finishes	white	white	white
grill type	separate electric grill	separate electric grill	separate electric gril
hob~			
type	coil	coil	solid
number of elements	4	4	4
left front	1250W	1250W	1000W
left rear	1250W	1250W	1500W
right front	2050W	2050W	2000W
right rear	1250W	1250W	1000W
hob ignition			
trivets			
FamilySafe flame failure			
hot surface indicator			
power on indicator	─	✓	✓
main oven			
oven type	electric	electric	electric
oven functions	fan forced	fan forced	fan forced
capacity#			
- gross (litres)	80	80	80
- usable (litres)	74	74	74
timer	60 minute	programmable	60 minute
formed runner shelf support	─	✓	✓
oven/grill ignition			
FamilySafe oven flame failure			
oven light	<u> </u>	✓	✓
door glass layers	2	2	2
general features			
easy reach rear controls	✓	✓	✓
number of shelves	2	2	2
grill dish	√	✓	✓
dish insert	wire	wire	wire
connection			
type	hardwire	hardwire	hardwire
maximum power rating	9.9kW	9.9kW	9.1kW
maximum gas rating (NG)			
grill power	1.8kW	1.8kW	1.8kW
dimensions [†]			
overall^ H x W x D (mm)	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910	910
height of splashback (mm)	240	240	240











WLE537WA	WLE547WA	WLG503WB"	WLG505WB"	WLG517WB"
electric freestanding	electric freestanding	gas freestanding	gas freestanding	gas freestanding
540	540	540	540	540
white	white	white	white	white
separate electric grill	separate electric grill	separate gas grill	separate gas grill	separate gas grill
solid	ceramic	gas	gas	gas
4	4	4	4	4
1000W	1200W	12.1 MJ/h	12.1 MJ/h	14.2 MJ/h (wok)
1500W	2000W	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
2000W	1200W	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
1000W	1200W	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
		manual	electronic	electronic
		enamel	enamel	enamel
		✓	✓	√
	✓			
✓	✓			
electric	electric	gas	gas	gas
fan forced	fan forced	conventional	conventional	fan bake and conventional
80	80	80	80	80
74	74	77	77	72
programmable	programmable		60 minute	60 minute
✓	√	✓	√	<u></u>
		piezo	electronic	electronic
		✓	✓	_ <u> </u>
✓	√			_ <u> </u>
2	2	2	2	2
✓	·			
2	2	2	2	2
✓	√	✓		_ <u> </u>
wire	wire	wire	wire	wire
hardwire	hardwire	not required	10A plug	10A plug
9.6kW	9.7kW	OkW	0.03kW	0.05kW
		58.5 MJ/h	58.5 MJ/h	60.6 MJ/h
1.8kW	1.8kW	11.1 MJ/h	11.1 MJ/h	11.1 MJ/h
1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
910	910	910	910	910
240	240	240	240	240

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

 $^{^{\}dagger}\,$ Refer to the product information on the back page of this brochure.

[#] Based on International Standard IEC 60350-1

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

[~] Burner outputs shown above are for natural gas connection.

" Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

 $^{^{\}dagger}\,$ Refer to the product information on the back page of this brochure.

[#] Based on International Standard IEC 60350-1

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

[~] Burner outputs shown above are for natural gas connection.

[&]quot; Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

60cm upright electric



Features[†]

Model	WLE625WA	WLE645WA
type	electric freestanding	electric freestanding
nominal width (mm)	600	600
available finishes	white	white
grill type	separate electric grill	separate electric grill
hob		
type	coil	ceramic
number of elements	4	4
left front	2050W	1000W/2200W (dual zone)
left rear	1250W	1200W
right front	2050W	1200W
right rear	1250W	1800W
power on indicator	√	√
residual heat indicator		✓
main oven		
oven type	electric	electric
oven functions	fan forced	fan forced
capacity#		
gross (litres)	80	80
- usable (litres)	74	74
timer	2 hour mechanical	2 hour mechanical
formed runner shelf support	√	√
oven light	<u> </u>	√
door glass layers	2	2
general features		
easy reach rear controls	✓	✓
number of shelves	2	2
grill/roasting dish	<u> </u>	√
dish insert	wire	wire
baking trays	1	2
connection		
type	hardwire	hardwire
maximum power rating	10.7kW	10.5kW
grill power	1.8kW	1.8kW
dimensions [†]		
overall^ H x W x D (mm)	1145 x 596 x 617	1145 x 596 x 617
height to hob (mm)	909	909
height of splashback (mm)	236	236

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.



[#] Based on International Standard IEC 60350-1

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

Elevated electric cookers



Features[†]

Model	WDE135WA-L/R	WDE147WA-L/R
type	elevated electric	elevated electric
nominal width (mm)	1085	1085
available finishes	white	white
separate grill	√	✓
grill type	separate electric grill	separate electric grill
hob		
type	solid	ceramic
number of elements	4	4
left front	1500W	1200W
left rear	1500W	2000W
right front	2000W	1200W
right rear	1000W	1200W
hot surface indicator		✓
main oven		
oven type	electric	electric
oven functions	fan forced	fan forced
capacity#		
- gross (litres)	80	80
- usable (litres)	74	74
timer	60 minute auto-off	programmable
oven light	√	✓
formed runner shelf support	√	✓
door glass layers	2	2
general features		
dish insert	✓	✓
grill dish	√	✓
number of shelves		2
connection		
type	hardwire	hardwire
maximum power rating	10.0kW	10.0kW
dimensions [†]		
overall^ H x W x D (mm)	540 x 1085 x 620	540 x 1085 x 620

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Depth including knobs and handles is 630mm.

Elevated gas cookers





Features[†]

Model	WDG101WBNG-L/R	WDG103WBNG-L/R
type	elevated gas	elevated gas
nominal width (mm)	1085	1085
available finishes	white	white
grill type	separate gas grill	separate gas grill
hob~		
type	gas	gas
number of burners	4	4
left front	12.0 MJ/h	12.0 MJ/h
left rear	9.0 MJ/h	9.0 MJ/h
right front	5.1 MJ/h	5.1 MJ/h
right rear	9.0 MJ/h	9.0 MJ/h
enamelled wire trivets	√	✓
Familysafe flame failure	√	✓
ignition	manual	electronic
main oven		
type	gas	gas
oven functions	conventional	fan bake & conventional
capacity#		
- gross (litres)	80	80
- usable (litres)	77	72
timer	60 minute	60 minute
oven light		✓
ignition	piezo	electronic
formed runner shelf support	✓	✓
door glass layers	2	2
oven flame failure safety device	✓	✓
general features		
dish insert	✓	✓
grill dish	√	✓
number of shelves	2	2
connection		
type	not required	electrical - 10A plug
maximum power rating		0.045 kW
maximum gas rating (NG)	56.5 MJ/h	56.5 MJ/h
gas conversion kit LP included°	✓	✓
dimensions [†]		
overall^ H x W x D (mm)	540 x 1085 x 620	540 x 1085 x 620

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Depth including knobs and handles is 630mm.

Refer to the product information on the back page of this brochure.

[#] Based on International Standard IEC 60350-1

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

[†] Refer to the product information on the back page of this brochure.

[#] Based on International Standard IEC 60350-1

[~] Burner outputs shown above are for natural gas connection.

[^] Height refers to height to hob. This does not include the height of the trivets above the hob.

Gas conversion kit must be installed by a licensed contractor.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 13 13 49 fax: 1800 350 067

email: customercare@electrolux.com.au

web: westinghouse.com.au



We invite you to follow Westinghouse appliances and get involved in the conversation.

Top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

Spare Parts and Accessories:

Westinghouse offers an extensive range of genuine spare parts and accessories to purchase across our entire range of products. With purchasing options to suit your shopping style, you can be sure we are always thinking of you. To view and purchase genuine spare parts and accessories online visit shop.westinghouse.com.au

To discuss and purchase genuine spare parts and accessories with one of our friendly staff call 1300 363 640. To find your nearest Electrolux spare parts retailer call 13 13 50.

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is provided on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow and may vary slightly.