


# kitchen



Westinghouse

# They say the kitchen is the heart and soul of every home.

4	Ovens
14	New appliances in designer dark
20	60cm stainless steel ovens
24	90cm stainless steel ovens
30	Separate grill, duo and double ovens
32	Gas ovens
34	Built-in microwave ovens
36	Gas cooktops
48	Induction cooktops
58	Electric cooktops
66	Rangehoods
86	Freestanding microwave ovens
88	Specifications

At Westinghouse, we want to make every day easy. Our latest range makes practical look stylish, with exciting innovations and clever designs to make cooking a pleasure for everyone. We're introducing AirFry to selected ovens, for healthier, delicious meals without taking up extra benchspace. BoilProtect\* is new to our induction cooktops, so no more over-boiling if you get interrupted in the kitchen. And, if you've ever forgotten to turn on the rangehood until it's too late, you'll love our new Hob2Hood technology. When you turn on your cooktop, it automatically turns on the rangehood and adjusts to your cooking. Discover all these innovations and more in our latest range. You'll feel right at home with Westinghouse.

## OVENS

# make every mealtime easy

Whether you're cooking up a tasty roast for the family or putting your favourite recipe to the test, you'll be pleased you chose Westinghouse. Our 60cm, 90cm and duo oven range give you all the room and all the features to make every mealtime easy.



Model shown: WVEP618DSC



AirFry

## AirFry for that perfect, healthy crunch

When a food craving hits, make healthier and delicious food right in your oven. Deliver all the flavour and none of the guilt. AirFry allows you to make healthier, tasty meals for the entire family – right in your oven. The only oven range with AirFry\*.

\*Selected models.

## Steam, our secret for delicious effortless cooking

Bring out natural flavours and goodness  
with our versatile steam functions.  
Steam Assist Cooking is ideal for meat, poultry and fish,  
ensuring an even cook from centre to surface with a  
crisp golden finish.



**steam assist  
cooking**



## easybake +steam



## Tastier baking starts with steam

Take your baking to the next level with our EasyBake +Steam function. Steam helps you get a better rise, crispier crust, a fluffier centre and tastier textures for all your bread, pastries, cakes, and puddings.

\*Selected models.



## OVEN

# features

### 1 just a touch for total control

Simple to operate with a sleek design, our full-touch electric control panel with a fully programmable timer ticks all the right boxes. With just a touch or two on the easy clean surface you'll have total control over your cooking temperatures, times and functions. (Selected models)

### 2 cleaning's a breeze with steam

A 30-minute light oven cleaning that's chemical free. Just add water and vinegar, turn on the steam cycle and wait until grime is softened and loosened. Grab a cloth, some detergent and wipe. Your oven is clean again. Easy. (Selected models)

### 3 ovens that clean up after themselves

Even cleaning up is easier with Westinghouse. Choose a PyroClean oven and with the press of a button you can keep your oven shiny and clean. The oven turns on to an extremely high temperature, turning grease and grime into ash. All you need to do is simply wipe the residue away. No nasty chemicals, no greasy mess - just a sparkling clean oven with minimal effort. (Selected models)

### 4 designed for ease and safety

Telescopic runners are another piece of thoughtful design that makes it easy to draw racks out and safely check on your dishes during cooking. (Selected models)

### 5 get dinner on the table sooner

Why wait longer? Our ovens heat up fast so you can get on with the job of getting dinner on the table sooner.

### 6 place your shelves in with ease

Our easy guide side racks allow you to place your oven shelves in with ease.

### 6 designed to use maximum capacity

Our step down shelves are designed to ensure you can use every centimetre of available height and space in your oven.

### 7 cooler to touch oven doors

Beautifully designed with Australian families in mind, the multi-layer glazing of our oven doors are cooler to the touch when the oven is hot.



## new appliances in designer dark

Now you can design your kitchen around our sleek and sophisticated new Aspire range of ovens, beautifully coordinated to create a contemporary look without compromise.





RANGE

# 60cm dark stainless steel ovens



WVEP618DSD

**60cm multi-function 14 pyrolytic oven with Steam Assist cooking**

- Steam Assist cooking
- AirFry
- No-fuss PyroClean
- Fast heat up
- Full touch electronic control panel
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Dark stainless steel

product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVEP617DSC

**60cm multi-function 10 pyrolytic oven with AirFry**

- AirFry
- EasyBake +Steam
- No-fuss PyroClean
- Fast heat up
- Knob control
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Dark stainless steel

product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVE617DSC


**60cm multi-function 8 oven with AirFry**

- AirFry
- EasyBake +Steam
- SteamAssist Clean
- Fast heat up
- Knob control
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Dark stainless steel

product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)

RANGE

## 90cm dark stainless steel ovens



WVEP917DSC

**90cm pyrolytic multi-function 14 oven with AirFry**

- AirFry
- EasyBake +Steam
- No-fuss PyroClean
- Twin fan system
- Fast heat up
- Full touch electronic control panel
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- Large 125L gross capacity
- Dark stainless steel

product dimension: 895w x 596h x 572d (mm)  
flush fit dimension: 900w x 600h x 580d (mm)

RANGE

## duo ovens



WVEP627DSC

**60cm multi-function 10/5 pyrolytic duo oven**

- AirFry
- EasyBake +Steam
- No-fuss PyroClean
- Fast heat up
- Telescopic runners
- Easy guide side racks
- Knob control
- Programmable timer
- Duo oven for larger capacity
- Cooler to touch door
- 80/46L gross capacity
- Dark stainless steel

product dimension: 596w x 890h x 573d (mm)  
flush fit dimension: 600w x 893h x 581d (mm)

RANGE

## built-in combi microwave oven



WMB4425DSC

**44L Built-in combi microwave**

- Fully built in design
- Convection and grill cooking
- 4 combination modes
- Full touch electronic control panel
- 12 Auto Cook options
- Auto Defrost
- Grill Rack
- 900W microwave
- Dark stainless steel

product dimension: 596w x 454h x 568d (mm)  
flush fit dimension: 600w x 466h x 570d (mm)

RANGE

# 60cm stainless steel ovens



WVEP617SC

**60cm multi-function 10 pyrolytic oven with AirFry**

- AirFry
- EasyBake +Steam
- No-fuss PyroClean
- Fast heat up
- Knob control
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity

product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVEP615SC

**60cm multi-function 10 pyrolytic oven**

- No-fuss PyroClean
- Fast heat up
- Knob control
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

Also available in white WVEP615WC



product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVE616SC

**60cm multi-function 8 oven with AirFry**

- AirFry
- Knob control
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant
- stainless steel

product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVE615SC

**60cm multi-function 7 oven**

- Fast heat up
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

Also available in white WVE615WC



product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)

RANGE  
60cm ovens



WVE612SCP

**60cm multi-function 5 oven**

- Easy guide side racks
- 2 hour auto-off oven timer
- Cooler to touch door
- 80L gross capacity
- Plug and play with 10A socket
- Fingerprint resistant stainless steel

Also available in white WVE612WCP



product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVES613SC-R

**60cm right side opening multi-function 5 oven**

- Easy guide side racks
- Side opening door
- 2 hour auto-off oven timer
- Cooler to touch door
- 80L gross capacity
- Operates on a standard 10A power supply
- Fingerprint resistant stainless steel

Also available in white WVES613WC-L



product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVE645SC

**60cm multi-function 5 oven with ceramic cooktop**

- Easy guide side racks
- 2 hour auto-off oven timer
- 4 zone cooktop with dual variable zone
- Cooler to touch door
- 80L gross capacity

oven product dimension: 595w x 596h x 572d (mm)  
oven flush fit dimension: 600w x 600h x 581d (mm)  
cooktop product dimension: 610w x 45h x 515d (mm)  
cooktop cut-out dimension: 560w x 490d (mm)



WVES613SC-L

**60cm left side opening multi-function 5 oven**

- Easy guide side racks
- Side opening door
- 2 hour auto-off oven timer
- Cooler to touch door
- 80L gross capacity
- Operates on a standard 10A power supply
- Fingerprint resistant stainless steel

Also available in white WVES613WC-L



product dimension: 596w x 597h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



**extra large  
capacity**

## room for everything

If you're serious about creating delicious family feasts and you love entertaining, you'll be right at home with our 90cm oven with a generous 125L gross capacity. That's plenty of room for the biggest Christmas turkey or a weekend roast for all the family. The extra width makes getting things in and out super easy.



# twin fan system

---


## even cooking twin fan system

---

Our twin fan system works to evenly distribute heat throughout the oven so you can enjoy delicious results every time.

RANGE

# 90cm stainless steel ovens



WVEP916SC

**90cm multi-function 10 pyrolytic oven with AirFry**

- AirFry
- No-fuss PyroClean
- Twin fan system
- Fast heat up
- Knob control
- Telescopic runners
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- Large 125L gross capacity
- Fingerprint resistant stainless steel

product dimension: 895w x 596h x 572d (mm)  
flush fit dimension: 900w x 600h x 580d (mm)



WVE915SC

**90cm multi-function 8 oven**

- Fast heat up
- Twin fan system
- Easy guide side racks
- Programmable timer
- Cooler to touch door
- Large 125L gross capacity
- Fingerprint resistant stainless steel

product dimension: 895w x 596h x 572d (mm)  
flush fit dimension: 900w x 600h x 580d (mm)

RANGE

# separate grill, duo and double ovens



WVE655SC

**60cm multi-function 5 oven with separate grill**

Also available in white WVE655WC



- Fast heat up
- Programmable timer
- Easy guide side racks
- Cooler to Touch Doors
- 80L gross capacity
- Knob control
- Handy separate grilling compartment
- Anti-spatter grill insert
- Stainless Steel Finish

product dimension: 596w x 727h x 573d (mm)  
flush fit dimension: 600w x 731h x 581d (mm)



WVE625SC

**60cm multi-function 8/5 duo oven**

Also available in white WVE625WC



- Fast heat up
- Easy guide side racks
- Knob control
- Programmable timer
- Duo oven for larger capacity
- Cooler to touch door
- 80/46L gross capacity
- Fingerprint resistant stainless steel

product dimension: 596w x 890h x 573d (mm)  
flush fit dimension: 600w x 893h x 581d (mm)



WVE665SC

**60cm multi-function 5 oven with separate grill**

Also available in white WVE665WC



- Fast heat up
- Easy guide side racks
- Handy separate grilling compartment
- Knob control
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

product dimension: 596w x 890h x 573d (mm)  
flush fit dimension: 600w x 893h x 581d (mm)



WVE636SC

**60cm multi-function 8/8 double oven with AirFry**

- AirFry
- Fast heat up
- Telescopic runners
- Easy guide side racks
- Knob control
- Programmable timer
- Double oven for larger capacity
- 80L/80L gross capacity
- Fingerprint resistant stainless steel

product dimension: 596w x 1083h x 573d (mm)  
flush fit dimension: 600w x 1086h x 581d (mm)



RANGE  
gas ovens



WVG615SC-NG / WVG615SC-LP

**60cm  
multi-function 5  
gas oven**

- Easy guide side racks
- Electric grill
- Knob control
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

product dimension: 595w x 596h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)

RANGE  
separate grill and  
duo gas ovens



WVG655SC-NG / WVG655SC-LP

**60cm  
multi-function 3 gas oven  
with separate grill**

- Easy guide side racks
- Handy separate grilling compartment
- Anti-spatter grill insert
- Knob control
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

product dimension: 596w x 725h x 573d (mm)  
flush fit dimension: 600w x 731h x 581d (mm)



WVG613SC-NG / WVG613SC-LP

**60cm  
multi-function 5  
gas oven**

- Easy guide side racks
- Electric grill
- Knob control
- 2 hour auto-off timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

Also available in  
white WVG613WC-NG



product dimension: 595w x 596h x 573d (mm)  
flush fit dimension: 600w x 600h x 581d (mm)



WVG665SC-NG / WVG665SC-LP

**60cm  
multi-function 3 gas oven  
with separate grill**

- Easy guide side racks
- Handy separate grilling compartment
- Knob control
- Programmable timer
- Cooler to touch door
- 80L gross capacity
- Fingerprint resistant stainless steel

Also available in  
white WVG665WC-NG



product dimension: 596w x 888h x 573d (mm)  
flush fit dimension: 600w x 893h x 581d (mm)

RANGE  
**built-in  
microwave ovens**



WMB4425SC

**44L  
built-in combi  
microwave**

- Fully built-in design
- Convection and grill cooking
- 4 combination modes
- Full touch electronic control panel
- 12 Auto Cook Options
- Auto Defrost
- Fingerprint resistant stainless steel
- Grill rack

product dimension: 596w x 454h x 568d (mm)  
flush fit dimension: 600w x 466h x 570d (mm)



WMB2522SC

**24L  
built-in microwave**

- Fully built-in design
- Auto Cook Options
- Auto Defrost
- Quick start
- Touch & dial controls
- 5 power levels

product dimension: 596w x 460h x 400d (mm)  
flush fit dimension: 600w x 466h x 570d (mm)



## GAS COOKTOPS

# versatile cooking with gas

Our range of gas cooktops are designed to look good and cook great with practical design features to make every meal a winner. Our Dual Valve technology provides precision flame control so you can go from boil to simmer in no time at all, while our powerful wok burner will help you keep your meals nutritious and delicious with fast and healthy cooking. Sturdy flat cast trivets help you cook with confidence, control and peace of mind.



Model shown: WHG368BC





# 19MJ/h Intense wok burner

## a hotter wok helps bring out the flavour

Use high heat to lock in the flavor of your dishes. With durable brass caps and 19 MJ/h you can bring your wok to high heat with even flame distribution. Spice up your cooking and spice up your life.

\*Selected models.



## GAS COOKTOPS

### features

#### 1 boil to simmer in an instant

For precision control cooking all your favourite recipes, our smart Dual Valve flame control lets you go from boil to simmer in an instant.

#### 4 easy under knob ignition

Single action of pressing and turning the knob to ignite the flame and start cooking

#### 2 keep your pots and pans in place

For extra peace of mind, our flat trivets are designed to cover the large flat surface area for better pot stability.

#### 4 laser etched control graphics

Understanding the cooktop should be easy. That's why our graphics are clear and durable, so they are always there to help you understand how to get the most out of your new cooktop and understand exactly what goes where.

#### 3 family safety first

Our cast iron trivets flat design ensure the base of your pots and pans are fully supported, allowing you to have a safe and stable cooking environment.

#### 5 flame out, gas off

In the kitchen, it should always be safety first. If the cooktop flame unexpectedly goes out, our Flame Failure Device will automatically shut down the gas supply so you and your family can breathe easy.

#### 6 easy to clean

Spend more time cooking and less time cleaning. Our flat surface gives foods and spills nowhere to hide, making cleaning a breeze.

RANGE  
**gas cooktops**



WHG638BC

60cm  
3 burner black glass  
gas cooktop

- High powered, Intense 19 MJ/h wok burner
- Dual Valve Control
- Cast iron trivets
- Flat trivets
- Flame Failure Device
- Black tempered glass
- Easy under knob ignition
- LP Gas Conversion kit included

product dimension: 595w x 530d x 62h (mm)  
cut-out dimension: 560w x 490d (mm)



RANGE  
gas cooktops



WHG648SC

**60cm  
4 burner gas cooktop**

- High powered, Intense 17 MJ/h wok burner
- Dual Valve Control
- Cast iron trivets
- Flat trivets
- Simple and durable control panel graphics
- Easy under knob ignition
- Flame Failure Device
- Stainless steel
- LPG conversion kit included

product dimension: 595w x 530d x 55h (mm)  
cut-out dimension: 560w x 490d (mm)



WHG640SC

**60cm  
4 burner gas cooktop**

- 12.1 MJ/h wok burner
- Flat trivets
- Simple and durable control panel graphics
- Easy under knob ignition
- Flame Failure Device
- Stainless steel
- LPG conversion kit included

Also available  
in white WHG640WC



product dimension: 600w x 535d x 58h (mm)  
cut-out dimension: 570w x 490d (mm)



WHG644SC

**60cm  
4 burner gas cooktop**

- High powered 14.4 MJ/h wok burner
- Cast iron trivets
- Flat trivets
- Simple and durable control panel graphics
- Easy under knob ignition
- Flame Failure Device
- Stainless steel
- LPG conversion kit included

product dimension: 595w x 530d x 55h (mm)  
cut-out dimension: 560w x 490d (mm)



WHG758SC

**75cm  
5 burner gas cooktop**

- High powered, Intense 19 MJ/h wok burner
- Dual Valve Control
- Cast iron trivets
- Flat trivets
- Simple and durable control panel graphics
- Easy under knob ignition
- Flame Failure Device
- Stainless steel
- LPG conversion kit included

product dimension: 745w x 530d x 55h (mm)  
cut-out dimension: 710w x 490d (mm)

RANGE  
gas cooktops



WHG958BC

90cm  
5 burner black glass  
gas cooktop

- High powered, Intense 19 MJ/h wok burner
- Dual Valve Control
- Cast iron trivets
- Flat trivets
- Flame Failure Device
- Black tempered glass
- Easy under knob ignition
- LP conversion kit included

product dimension: 895w x 530d x 62h (mm)  
cut-out dimension: 860w x 490d (mm)



WHG958SC

90cm  
5 burner gas cooktop

- High powered, Intense 19 MJ/h wok burner
- Dual Valve Control
- Cast iron trivets
- Flat trivets
- Simple and durable control panel graphics
- Easy under knob ignition
- Flame Failure Device
- Stainless steel
- LPG conversion kit included

product dimension: 895w x 530d x 55h (mm)  
cut-out dimension: 860w x 490d (mm)



WHG954SC

90cm  
5 burner gas cooktop

- High powered 14.4 MJ/h wok burner
- Cast iron trivets
- Flat trivets
- Simple and durable control panel graphics
- Easy under knob ignition
- Flame Failure Device
- Stainless steel
- LPG conversion kit included

product dimension: 895w x 530d x 55h (mm)  
cut-out dimension: 860w x 490d (mm)



## INDUCTION COOKTOPS

### Fast heat up and even cooking with induction

Did you know that induction cooking heats up twice as fast as gas? With a faster boil and complete temperature control you can bring accuracy to your cooking for delicious results every time. Innovative features include BoilProtect to help prevent water boiling over while the Pause function lets you take care of life's interruptions.



Model shown: WHI945BC

# BoilProtect





## no more boiling over



There are more exciting things to do than watching water boil. BoilProtect detects rising bubbles and automatically reduces to a low simmer\*. No more constant monitoring so you can focus on the flavours.

\*Selected models. Applies to stainless steel and enamelled pots filled with water only.



## INDUCTION COOKTOPS

### features

#### 1 large pans are no problem

Larger pots or pans are catered for with MaxiZone. Our extra large induction zone ensures that heat will be delivered consistently to large pans to help cook your special dishes to perfection with ease.

#### 5 hold everything with Pause

We know that family life is full of distractions. That's why you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating induction zones will drop to Keep Warm mode. When you're ready to go again, hit Pause again and settings will return to where you left off.

#### 2 clear the air with Hob2Hood

With Hob2Hood technology, compatible rangehoods work seamlessly with your induction cooktop to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience? (Selected models)

#### 6 easy touch-on-glass control

Total control is at your fingertips with a simple touch on the easy-clean glass control panel.

#### 3 FlexZone gives you room to move

Even the biggest pots and pans can be catered for with FlexZone. Designed with busy family kitchens in mind, FlexZone lets you use two induction zones separately or link them together when you're cooking for a crowd.

#### 7 transition to induction with ease

If switching to an induction cooktop is on your to-do list, you can upgrade with extra ease if your new induction cooktop shares the same rated input power as your old ceramic or electric cooktop. All you will need to do is get used to having instant control of your cooking.

#### 4 zero to boil in no time

With PowerBoost, you can rapidly boil a pot of water or quickly heat up a frying pan. Spend less time waiting and more time creating your favourite meals.

#### 8 simple and durable control panel graphics

Understanding the cooktop should be easy. That's why our graphics are clear and durable, so they are always there to help you understand how to get the most out of your new cooktop and understand exactly what goes where.

RANGE  
induction cooktops




WHI945BC

90cm  
4 zone induction cooktop  
with BoilProtect

- BoilProtect on 2 zones
- FlexZone
- Hob2Hood
- PowerBoost
- Pause
- QuickCook Timer
- Perfect heat control
- Touch slide control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 910w x 520d x 46h (mm)  
cut-out dimension: 880w x 490d (mm)




WHI943BC

90cm  
4 zone induction  
cooktop

- PowerBoost
- Pause
- Easy transition from ceramic cooktop
- 6.5kW rated input power
- Hob2Hood
- Perfect heat control
- QuickCook Timer
- Touch control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 900w x 515d x 46h (mm)  
cut-out dimension: 880w x 490d (mm)




WHI743BC

70cm  
4 zone induction  
cooktop

- PowerBoost
- Pause
- Easy transition from ceramic cooktop
- 6.5kW rated input power
- Hob2Hood
- Perfect heat control
- QuickCook Timer
- Touch control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 700w x 520d x 46h (mm)  
cut-out dimension: 560w x 490d (mm)

RANGE  
induction cooktops




WHI645BC

**60cm  
4 zone induction  
cooktop with  
BoilProtect**

- BoilProtect on 4 zones
- FlexZone
- Hob2Hood
- PowerBoost
- Pause
- QuickCook Timer
- Perfect heat control
- Touch slide control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 590w x 520d x 46h (mm)  
cut-out dimension: 560w x 490d (mm)



WHI633BC

**60cm  
3 zone induction  
cooktop**

- MaxiZone
- PowerBoost
- Pause
- Easy transition from ceramic cooktop
- 6.5kW rated input power
- Hob2Hood
- QuickCook Timer
- Perfect heat control
- Touch control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 590w x 520d x 46h (mm)  
cut-out dimension: 560w x 490d (mm)



WHI643BC

**60cm  
4 zone induction  
cooktop**

- PowerBoost
- Pause
- Easy transition from ceramic cooktop
- 6.5kW rated input power
- Hob2Hood
- QuickCook Timer
- Perfect heat control
- Touch control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 590w x 520d x 46h (mm)  
cut-out dimension: 560w x 490d (mm)




WHI323BC


**30cm  
2 zone induction  
cooktop**

- PowerBoost
- Touch slide control
- Pause
- QuickCook Timer
- Perfect heat control
- Easy cleaning
- Residual heat indicator
- Child safety device

product dimension: 300w x 520d x 46h (mm)  
cut-out dimension: 270w x 490d (mm)



1




2




3



4



5



6



## ELECTRIC COOKTOPS

### features

#### 1 large pans are no problem

Larger pots or pans are catered for with MaxiZone. Our extra large induction zone ensures that heat will be delivered consistently to large pans to help cook your special dishes to perfection with ease.

#### 2 triple zone, for pots of different sizes

Whether you're using your smallest pan or biggest pot there's an extra large cooking zone to handle them all. With the ability to adjust its diameter into three sizes, this unrivalled flexibility gives you the freedom to create your best meals yet.

#### 3 hold everything with Pause

We know that family life is full of distractions. That's why you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating induction zones will drop to Keep Warm mode. When you're ready to go again, hit Pause again and settings will return to where you left off.

#### 4 timed to perfection

Never over-cook or burn dinner again. Just set the cooking time and our cooktop will automatically turn the heat off for you.

#### 5 simple and durable control panel graphics

Understanding the cooktop should be easy. That's why our graphics are clear and durable, so they are always there to help you understand how to get the most out of your new cooktop and understand exactly what goes where.

#### 6 safety first

Kitchen safety comes before everything else, so our heat indicators show activated hotplates as well as hotplates that are still cooling down.

RANGE  
**electric cooktops**



WHC633BC

**60cm  
 3 zone ceramic  
 cooktop**

- MaxiZone
- Dual Zone
- 3.0kW powerful zone
- Touch on glass controls
- Pause
- QuickCook Timer
- Residual Heat Indicator
- Easy clean ceramic surface
- Child safety lock
- Auto thermal cutout safety switch

product dimension: 590w x 520d x 46h (mm)  
 cut-out dimension: 560w x 490dh (mm)



WHC642BC

**60cm  
 4 zone ceramic  
 cooktop**

- Residual Heat Indicator
- Easy clean ceramic surface
- 2.3kW powerful zone
- Auto thermal cutout safety switch
- 9 power levels
- Auto thermal cutout safety switch

product dimension: 590w x 520d x 46h (mm)  
 cut-out dimension: 560w x 490d (mm)



WHC643BC

**60cm  
 4 zone ceramic  
 cooktop**

- Triple Zone
- Touch on glass controls
- Pause
- QuickCook Timer
- 2.3kW powerful zone
- Residual Heat Indicator
- Child safety lock
- Easy clean ceramic surface
- Auto thermal cutout safety switch

product dimension: 590w x 520d x 46h (mm)  
 cut-out dimension: 560w x 490d (mm)



WHC642SC

**60cm  
 4 zone ceramic  
 cooktop**

- Dual Zone
- Residual Heat Indicator
- Easy clean ceramic surface
- 2.2kW powerful zone
- 9 power levels
- Auto thermal cutout safety switch
- Elegant stainless steel frame

product dimension: 606w x 505d x 46h (mm)  
 cut-out dimension: 560w x 490d (mm)

RANGE  
**electric cooktops**



WHC943BC

**90cm  
 4 zone ceramic  
 cooktop**

- Triple Zone
- Touch on glass controls
- Pause
- QuickCook Timer
- 2.3kW powerful zone
- Residual Heat Indicator
- Child safety lock
- Easy clean ceramic surface
- Auto thermal cutout safety switch

product dimension: 900w x 520d x 46h (mm)  
 cut-out dimension: 880w x 490d (mm)



WHC933BC

**90cm  
 3 zone ceramic  
 cooktop**

- Triple Zone
- Touch on glass controls
- Pause
- QuickCook Timer
- 2.3kW powerful zone
- Residual Heat Indicator
- Child safety lock
- Easy clean ceramic surface
- Auto thermal cutout safety switch

product dimension: 900w x 410d x 46h (mm)  
 cut-out dimension: 825w x 360d (mm)



WHC942BC

**90cm  
 4 zone ceramic  
 cooktop**

- Dual Zone
- Residual Heat Indicator
- Easy clean ceramic surface
- 2.2kW powerful zone
- 9 power levels
- Auto thermal cutout safety switch

product dimension: 900w x 520d x 46h (mm)  
 cut-out dimension: 880w x 490d (mm)



WHC742BC

**70cm  
 4 zone ceramic  
 cooktop**

- Residual Heat Indicator
- Easy clean ceramic surface
- 2.3kW powerful zone
- 9 power levels
- Auto thermal cutout safety switch

product dimension: 700w x 520d x 46h (mm)  
 cut-out dimension: 560w x 490d (mm)



RANGE  
**electric cooktops**



WHC322BC

**30cm  
 2 zone ceramic  
 cooktop**

- Residual heat indicator
- Easy clean ceramic surface
- 9 power levels
- Compact cooking
- Auto thermal cutout safety switch

product dimension: 320w x 520d x 46h (mm)  
 cut-out dimension: 300w x 490d (mm)



WHS642SC

**60cm  
 4 zone solid  
 cooktop**

- Corrosion resistant solid hotplate
- Knob control
- 2.0kW powerful zone
- Stainless steel

Also available  
 in white WHS642WC



product dimension: 600w x 535d x 58h (mm)  
 cut-out dimension: 570 x 490 (mm)





## RANGEHOODS

### Let's clear the air

We think rangehoods are the unsung hero of the family kitchen. Our high performance hoods are designed to get on with the job without fuss, extracting smoke, smell, steam and grease while you work your magic on the cooktop. See your cooking in the best light and look forward to low maintenance, easy cleaning and a long life from your Westinghouse rangehood. In compatible models, Hob2Hood technology starts the rangehood when you turn on the cooktop and automatically adjusts to your cooking.

Model shown: WRC924SC



## Clear the air with Hob2Hood

With Hob2Hood\* technology, compatible rangehoods work seamlessly with your induction cooktop to clear your kitchen of cooking smells and steam. As you start cooking, the rangehood will automatically turn on then intuitively adjust the fan speed and airflow to match your cooking. How's that for hands-free convenience?

\*Selected models. Model shown: WR1824DSC.



3



2



3



4



RANGEHOODS

## features

### 1 Low energy, long lasting LED

With low energy use and a high illumination performance, long-lasting LED lights make it easy to keep an eye on your delicious cooking.

### 2 easy-clean filters

For ease and convenience, our easily removed aluminium micro-mesh filters can simply be washed safely in your dishwasher or hand washed. Keep your rangehood looking great and performing well with next to no effort.

### 3 quiet please, the cook's at work

We believe you should be able to cook and hear yourself think, or even have a conversation. That's why we developed a quieter rangehood that gives you higher extraction. (Selected models)

### 4 Clear the air quickly

Our rangehoods offer powerful extraction rates ensuring your kitchen is clear of cooking odours, vapours and excess heat in no time at all

RANGE  
integrated rangehoods



WRI824BB

86cm  
integrated rangehood

- Hob2Hood
- Powerful 760m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan + Boost mode
- Dishwasher safe mesh filters
- Clean filter indicator
- Dark stainless steel finish
- Ducted or recirculating options

product dimension: 860w x 329h x 300d (mm)  
cut-out dimension: 832w x 329h x 259d (mm)



WRI814BB

80cm  
integrated rangehood

- Powerful 750m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Dark stainless steel finish
- Ducted or recirculating options

product dimension: 792w x 317h x 277d (mm)  
cut-out dimension: 734w x 313h x 250d (mm)



WRI700SB

71cm  
integrated rangehood

- 370m<sup>3</sup>/hr extraction rate
- LED lighting
- Dishwasher safe mesh filters
- 2 speed fan
- Slide switch controls
- Stainless steel finish
- Ducted or recirculating options

product dimension: 712w x 200h x 304d (mm)  
cut-out dimension: 655w x 200h x 276d (mm)

RANGE  
integrated rangehoods



WRI524BB

52cm  
integrated rangehood

- Hob2Hood
- Powerful 760m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan + Boost mode
- Dishwasher safe mesh filters
- Clean filter indicator
- Dark stainless steel finish
- Ducted or recirculating options

product dimension: 520w x 329h x 300d (mm)  
cut-out dimension: 492w x 329h x 259d (mm)



WRI514BB

50cm  
integrated rangehood

- Powerful 690m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Clean filter indicator
- Dark stainless steel finish
- Ducted or recirculating options

product dimension: 492w x 317h x 277d (mm)  
cut-out dimension: 454w x 313h x 254d (mm)



WRI500SB

51cm  
integrated rangehood

- 340m<sup>3</sup>/hr extraction rate
- LED lighting
- Dishwasher safe mesh filters
- 2 speed fan
- Slide switch controls
- Stainless steel finish
- Ducted or recirculating options

product dimension: 512w x 200h x 304d (mm)  
cut-out dimension: 455w x 200h x 276d (mm)

RANGE  
canopy rangehoods



WRC924SC

90cm  
canopy rangehood

- Hob2Hood
- Powerful 720m<sup>3</sup>/hr extraction rate
- LED lighting
- Touch control
- 3 speed fan + Boost mode
- Auto off timer
- Dishwasher safe mesh filters
- Clean filter indicator
- Dark stainless steel finish
- Ducted or recirculating options

product dimension: 900w x (679-1180)h x 450d (mm)



WRCG914BC

90cm  
canopy rangehood

- Powerful 810m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan + Boost mode
- Auto off timer
- Dishwasher safe mesh filters
- Clean filter indicator
- integrated rangehood
- Dark stainless steel finish with glass
- Ducted or recirculating options

product dimension: 900w x (745-1130)h x 500d (mm)



WRC914SC

90cm  
canopy rangehood

- Powerful 840m<sup>3</sup>/hr extraction rate
- LED lighting
- Touch control
- 3 speed fan
- Auto off timer
- Dishwasher safe mesh filters
- Clean filter indicator
- Stainless steel finish
- Ducted or recirculating options

product dimension: 900w x (660-1160)h x 500d (mm)

RANGE  
**canopy rangehoods**



WRC904SC

**90cm  
canopy rangehood**

- Powerful 695m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Stainless steel finish
- Ducted or recirculating options

product dimension: 900w x (770-1240 max)h x 500d (mm)



WRC614SC

**60cm  
canopy rangehood**

- Powerful 840m<sup>3</sup>/hr extraction rate
- LED lighting
- Touch control
- 3 speed fan
- Auto off timer
- Dishwasher safe mesh filters
- Clean filter indicator
- Stainless steel finish
- Ducted or recirculating options

product dimension: 600w x (660-1160)h x 500d (mm)





RANGE  
slide-out rangehoods



WRR626SB

**60cm  
slide-out rangehood**

- Powerful 600m<sup>3</sup>/hr extraction rate
- LED lighting
- Dishwasher safe mesh filters
- 2 speed fan
- Slimline design suitable for integration
- Stainless steel fascia
- Ducted or recirculating options

product dimension: 598w x 275h x 300d (mm)  
Fascia Height: 40 (mm)



WRR614SB

**60cm  
slide-out rangehood**

- 340m<sup>3</sup>/hr extraction rate
- Front recirculation
- Charcoal filter included
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Auto activated push-pull controls
- Removable front fascia
- Stainless steel fascia
- Ducted or recirculating options

product dimension: 598w x 175h x 300d (mm)  
Fascia Height: 70 (mm)



WRR926SB

**90cm  
slide-out rangehood**

- Powerful 600m<sup>3</sup>/hr extraction rate
- LED lighting
- Dishwasher safe mesh filters
- 2 speed fan
- Slimline design suitable for integration
- Stainless steel fascia
- Ducted or recirculating options

product dimension: 898w x 275h x 300d (mm)  
Fascia Height: 40 (mm)



WRR914SB

**90cm  
slide-out rangehood**

- 340m<sup>3</sup>/hr extraction rate
- Front recirculation
- Charcoal filter included
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Auto activated push-pull controls
- Removable front fascia
- Stainless steel fascia
- Ducted or recirculating options

product dimension: 898w x 175h x 300d (mm)  
Fascia Height: 70 (mm)



## RANGE slide-out rangehoods



WRR604SB

**60cm  
slide-out rangehood**

- 340m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Slimline design suitable for integration
- Removable front fascia
- Stainless steel fascia
- Ducted or recirculating options

**product dimension: 598w 175h x 300d (mm)**  
**Fascia Height: 40 (mm)**



WRR904SB

**90cm  
slide-out rangehood**

- 340m<sup>3</sup>/hr extraction rate
- LED lighting
- 3 speed fan
- Dishwasher safe mesh filters
- Slimline design suitable for integration
- Removable front fascia
- Stainless steel fascia
- Ducted or recirculating options

**product dimension: 898w 175h x 300d (mm)**  
**Fascia Height: 40 (mm)**

RANGE  
fixed rangehoods



WRF613SA

**60cm  
fixed rangehood**

- 360m<sup>3</sup>/hr extraction rate
- 3 fan speeds
- Dishwasher safe filters
- Front re-circulating or ducted options
- Top or rear duct hole options
- Stainless steel finish

Also available  
in white WRF613WA



product dimension: 598w x 160h x 500d (mm)



WRF913SA

**90cm  
fixed rangehood**

- 360m<sup>3</sup>/hr extraction rate
- 3 fan speeds
- Dishwasher safe filters
- Front re-circulating or ducted options
- Top or rear duct hole options
- Stainless steel finish

Also available  
in white WRF913WA



product dimension: 898w x 160h x 500d (mm)



WRF610SA

**60cm  
fixed rangehood**

- 200m<sup>3</sup>/hr extraction rate
- 3 fan speeds
- Dishwasher safe filters
- Front re-circulating or ducted options
- Top or rear duct hole options
- Stainless steel finish

Also available  
in white WRF610WA



product dimension: 598w x 160h x 500d (mm)



WRF910SA

**90cm  
fixed rangehood**

- 200m<sup>3</sup>/hr extraction rate
- 3 fan speeds
- Dishwasher safe filters
- Front re-circulating or ducted options
- Top or rear duct hole options
- Stainless steel finish

Also available  
in white WRF910WA



product dimension: 898w x 160h x 500d (mm)

RANGE  
**freestanding  
microwave ovens**



WMF4102SA

**40L  
countertop  
microwave oven**

- 1000W power rating
- Sensor Cook options
- Auto Cook options
- 10 power levels
- Quick start
- Child safety lock
- Fingerprint resistant stainless steel finish

Also available in  
white WMF4102WA



product dimension: 553w x 327h x 453d (mm)



WMF2302SA

**23L  
countertop  
microwave oven**

- 800W power rating
- 10 power levels
- Pre-set programs
- Quick start
- Touch controls
- Child safety lock
- Fingerprint resistant stainless steel finish

Also available in  
white WMF2302WA



product dimension: 485w x 293h x 375d (mm)



# specifications

## 60cm electric ovens



WVES613SC/WC



WVE612SCP/WCP



WVE615SC/WC

### Features\*

Type	electric, side opening door	electric	electric
Number of functions	multifunction 5	multifunction 5	multifunction 7
Available finishes	stainless steel/white glass	stainless steel/white glass	stainless steel/white glass
Gross capacity (litres)	80	80	80
Controls	knob, silver	knob, silver	knob, metalised
Timer	auto off timer	auto off timer	programmable touch
Display			white LED
<b>oven features</b>			
Oven heating system	Fan Forced	Fan Forced	Fan Forced
AirFry			
Steam cooking function			
Cleaning			
<b>accessories</b>			
AirFry tray			
Telescopic runners			
Easy Guide Side Racks	✓	✓	✓
Shelf	✓	✓	✓
Shelf - step down	✓	✓	✓
Deep Grill/Oven Dish	✓	✓	✓
Grill/Oven Pan			
Grill Pan Insert	✓	✓	✓
Baking Tray			✓
<b>oven functions</b>			
Steam cooking function			
EasyBake +Steam			
AirFry			
Rapid Heat/Quick Cook			✓
Fan Forced	✓	✓	✓
Fan Assist			
Bake/Pizza			✓ (bake and pizza)
Roast			
Base Heat			
Fan & Grill	✓	✓	✓
Grill	✓	✓	✓
Maxi Grill			
Defrost	✓	✓	✓
Light	✓	✓	✓
<b>door</b>			
Glass layers in door	2	2	2
Removable door	✓	✓	✓
Other	side opening: left (-L), right (-R)		
<b>power rating</b>			
Connection	hardwired	10A plug	hardwired
Max Power Rating	2.3kW	2.3kW	3.3kW
Max Current Rating	9.6A	9.6A	13.8A
Voltage	230V-240V 50Hz	230V-240V 50Hz	230V-240V 50Hz
<b>dimensions</b>			
Product WxHxD (mm)	596 x 597 x 573	596 x 597 x 573	596 x 597 x 573
Flush mount cut-out WxHxD (mm)	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

## 60cm electric ovens

### Features†



WVEP615SC/WC



WVE616SC



WVEP617SC

Type	electric, pyrolytic	electric	electric, steam, pyrolytic
Number of functions	multifunction 10	multifunction 8	multifunction 10
Available finishes	stainless steel/white glass	stainless steel	stainless steel
Gross capacity (litres)	80	80	80
Controls	knob, metalised	knob, metalised	knob, metalised
Timer	programmable touch	programmable touch	programmable touch
Display	white LED	white LED	white LED

oven features			
Oven heating system	Fan Forced	Fan Forced	Fan Forced
AirFry		AirFry	AirFry
Steam cooking function			EasyBake +Steam
Cleaning	PyroClean		PyroClean

accessories			
AirFry tray		✓	✓
Telescopic runners		✓	✓
Easy Guide Side Racks	✓	✓	✓
Shelf	✓	✓	✓
Shelf - step down	✓	✓	✓
Deep Grill/Oven Dish	✓		✓
Grill/Oven Pan		✓	
Grill Pan Insert	✓	✓	✓
Baking Tray	✓	✓	✓

oven functions			
Steam cooking function			
EasyBake +Steam			✓
AirFry		✓	✓
Rapid Heat/Quick Cook	✓		
Fan Forced	✓	✓	✓
Fan Assist			
Bake/Pizza	□ (bake and pizza)	✓	✓ (bake and pizza)
Roast			
Base Heat	✓	✓	✓
Fan & Grill	✓	✓	✓
Grill	✓	✓	✓
Maxi Grill	✓	✓	✓
Defrost	✓	✓	✓
Light	✓	✓	✓

door			
Glass layers in door	4	3	4
Removable door	✓	✓	✓

power rating			
Connection	hardwired	hardwired	hardwired
Max Power Rating	3.1kW	3.0kW	3.3kW
Max Current Rating	12.9A	12.7A	13.8A
Voltage	230V-240V 50Hz	230V-240V 50Hz	230V-240V 50Hz

dimensions			
Product WxHxD (mm)	596 x 597 x 573	596 x 597 x 573	596 x 597 x 573
Flush mount cut-out WxHxD (mm)	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

### Features†



WVE617DSC



WVEP617DSC



WVEP618DSC

Type	electric, steam	electric, steam, pyrolytic	electric, steam, pyrolytic
Number of functions	multifunction 8	multifunction 10	multifunction 14
Available finishes	dark stainless steel	dark stainless steel	dark stainless steel
Gross capacity (litres)	80	80	80
Controls	knob, metalised	knob, metalised	full touch controls
Timer	programmable touch	programmable touch	programmable touch
Display	white LED	white LED	white LED

oven features			
Oven heating system	Fan Forced	Fan Forced	Fan Forced
AirFry	AirFry	AirFry	AirFry
Steam cooking function	EasyBake +Steam	EasyBake +Steam	Steam Assisted Cooking
Cleaning	Steam Assist Clean	PyroClean	PyroClean

accessories			
AirFry tray	✓	✓	✓
Telescopic runners	✓	✓	✓
Easy Guide Side Racks	✓	✓	✓
Shelf	✓	✓	✓
Shelf - step down	✓	✓	✓
Deep Grill/Oven Dish		✓	
Grill/Oven Pan	✓		✓
Grill Pan Insert	✓	✓	✓
Baking Tray	✓	✓	✓

oven functions			
Steam cooking function			Roast/Pizza/Bake/Reheat
EasyBake +Steam	✓	✓	
AirFry	✓	✓	✓
Rapid Heat/Quick Cook			✓
Fan Forced	✓	✓	✓
Fan Assist			✓
Bake/Pizza	✓ (bake and pizza)	✓ (bake and pizza)	✓ (bake and pizza)
Roast			✓
Base Heat		✓	✓
Fan & Grill	✓	✓	✓
Grill	✓	✓	✓
Maxi Grill		✓	✓
Defrost			✓
Light	✓	✓	✓

door			
Glass layers in door	3	4	4
Removable door	✓	✓	✓

power rating			
Connection	hardwired	hardwired	hardwired
Max Power Rating	3.3kW	3.3kW	3.1kW
Max Current Rating	13.8A	13.8A	12.9A
Voltage	230V-240V 50Hz	230V-240V 50Hz	230V-240V 50Hz

dimensions			
Product WxHxD (mm)	596 x 597 x 573	596 x 597 x 573	596 x 597 x 573
Flush mount cut-out WxHxD (mm)	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

## 60cm electric ovens

### Features†



WVE655SC/WC



WVE665SC/WC

Type	electric, separate grill		electric, separate grill	
Number of functions	multifunction 5		multifunction 5	
Available finishes	stainless steel/white glass		stainless steel/white glass	
Gross capacity (litres)	80		"80 (main oven) 46 (separate grill)"	
Controls	knob, metalised		knob, metalised	
Timer	programmable touch		programmable touch	
Display	white LED		white LED	
<b>oven features</b>				
Oven heating system	Fan Forced		Fan Forced	
AirFry				
Steam cooking function				
Cleaning				
<b>accessories</b>				
AirFry tray				
Telescopic runners				
Easy Guide Side Racks	✓		✓	
Shelf	✓		✓	
Shelf - step down	✓		✓	
Deep Grill/Oven Dish			✓	
Grill/Oven Pan	✓			
Grill pan Insert	✓		✓	
Baking tray	✓		✓	
<b>oven functions</b>				
	main oven	separate grill	main oven	separate grill
Steam cooking function				
EasyBake +Steam				
AirFry				
Rapid Heat/Quick Cook	✓		✓	
Fan Forced	✓		✓	
Fan Assist				
Bake/Pizza	✓		✓	
Roast				
Base Heat	✓		✓	
Fan & Grill				
Grill		✓		✓ (3 positions)
Maxi Grill				
Defrost	✓		✓	
Light	✓		✓	
<b>door</b>				
Glass layers in door	2		2	
Removable door	✓		✓	
<b>power rating</b>				
Connection	hardwired		hardwired	
Max Power Rating	4.9kW		5.3kW	
Max Current Rating	20.4A		22.1A	
Voltage	230-240V 50Hz		230-240V 50Hz	
<b>dimensions</b>				
Product WxHxD (mm)	596 x 727 x 573		596 x 890 x 573	
Flush mount cut-out WxHxD (mm)	600 x 731 x 581		600 x 893 x 581	

### Features†



WVE625SC/WC



WVEP627DSC



WVE636SC

Type	electric, duo		electric, duo, pyrolytic		electric, double	
Number of functions	multifunction 8+5		multifunction 10+5		multifunction 8+8	
Available finishes	stainless steel/white glass		dark stainless steel		stainless steel	
Gross capacity (litres)	"80 (main oven) 46 (second oven)"		"80 (main oven) 46 (second oven)"		"80 (main oven) 80 (second oven)"	
Controls	knob, metalised		knob, metalised		knob, metalised	
Timer	programmable touch		programmable touch		programmable touch	
Display	white LED		white LED		white LED	
<b>oven features</b>						
Oven heating system	Fan Forced		Fan Forced		Fan Forced	
AirFry			AirFry		AirFry	
Steam cooking function			EasyBake +Steam			
Cleaning			PyroClean			
<b>accessories</b>						
AirFry tray			✓		✓	
Telescopic runners			✓		✓	
Easy Guide Side Racks	✓		✓		✓	
Shelf	✓ (2)		✓ (2)		✓ (3)	
Shelf - step down	✓		✓		✓	
Deep Grill/Oven Dish					✓	
Grill/Oven Pan	✓				✓	
Grill pan Insert	✓		✓		✓	
Baking tray	✓		✓		✓	
<b>oven functions</b>						
	main oven	separate grill	main oven	separate grill	main oven	separate grill
Steam cooking function						
EasyBake +Steam			✓			
AirFry			✓		✓	✓
Rapid Heat/Quick Cook	✓					
Fan Forced	✓		✓		✓	✓
Fan Assist		✓		✓		
Bake/Pizza	✓	✓	✓ (bake and pizza)	✓	✓	✓
Roast						
Base Heat	✓		✓		✓	✓
Fan & Grill	✓	✓	✓	✓	✓	✓
Grill	✓	✓	✓	✓	✓	✓
Maxi Grill	✓		✓		✓	✓
Defrost	✓	✓		✓	✓	✓
Light	✓	✓	✓	✓	✓	✓
<b>door</b>						
Glass layers in door	3 main / 3 second		4 main / 3 second		3 main / 3 second	
Removable door	✓		✓		✓	
<b>power rating</b>						
Connection	hardwired		hardwired		hardwired	
Max Power Rating	5.3kW		5.3kW		6.2kW	
Max Current Rating	22.1A		22.1A		25.8A	
Voltage	230-240V 50Hz		230-240V 50Hz		230-240V 50Hz	
<b>dimensions</b>						
Product WxHxD (mm)	596 x 890 x 573		596 x 890 x 573		596 x 1083 x 573	
Flush mount cut-out WxHxD (mm)	600 x 893 x 581		600 x 893 x 581		600 x 1086 x 581	

## 60cm electric combo



WVE645SC

### Features†

Type	electric oven with ceramic cooktop
Number of functions	multifunction 5
Available finishes	stainless steel oven, ceramic glass cooktop
Gross capacity (litres)	80
Controls	knob, metalised
Timer	auto off timer
Display	
<b>features</b>	
Oven heating system	Fan Forced
Cooktop	ceramic glass (easy clean)
Cooking zone	4
Versatile cooking zone	Dual Zone
<b>accessories</b>	
AirFry tray	
Telescopic runners	
Easy Guide Side Racks	✓
Shelf	✓
Shelf - step down	✓
Deep Grill/Oven Dish	✓
Grill/Oven Pan	
Grill Pan Insert	✓
Baking Tray	
<b>oven functions</b>	
Fan Forced	✓
Fan & Grill	✓
Grill	✓
Defrost	✓
Light	✓
<b>cooktop</b>	
zones	4
left front	2200W, Dual Zone
left rear	1200W
right front	1200W
right rear	1800W
<b>door</b>	
Glass layers in door	2
Removable door	✓
<b>power rating</b>	
Connection	hardwired
Max Power Rating	8.7kW
Max Current Rating	36.1A
Voltage	230-240V 50Hz
<b>dimensions</b>	
Product WxHxD (mm)	596 x 597 x 573
Flush mount cut-out WxHxD (mm)	600 x 600 x 581
Cooktop - Product WxHxD (mm)	610 x 45 x 515
Cooktop - Cut-out WxD (mm)	560 x 490

## 90cm electric ovens



WVE915SC



WVEP916SC



WVEP917DSC

### Features†

Type	electric	electric, pyrolytic	electric, steam, pyrolytic
Number of functions	multifunction 8	multifunction 10	multifunction 14
Available finishes	stainless steel	stainless steel	dark stainless steel
Gross capacity (litres)	125	125	125
Controls	knob, metalised	knob, metalised	full touch controls
Timer	programmable touch	programmable touch	programmable touch
Display	white LED	white LED	white LED
<b>oven features</b>			
Oven heating system	Twin Fan System	Twin Fan System	Twin Fan System
AirFry		AirFry	AirFry
Steam cooking function			EasyBake +Steam
Cleaning		PyroClean	PyroClean
<b>accessories</b>			
AirFry tray		✓	✓
Telescopic runners		✓	✓
Easy Guide Side Racks	✓	✓	✓
Shelf	✓(2)	✓(2)	✓(2)
Shelf - step down			
Deep Grill/Oven Dish	✓	✓	✓
Grill/Oven Pan			
Grill Pan Insert	✓	✓	✓
Baking Tray			
<b>oven functions</b>			
Steam cooking function			
EasyBake +Steam			✓
AirFry		✓	✓
Rapid Heat/Quick Cook	✓		✓
Fan Forced	✓	✓	✓
Fan Assist			✓
Bake/Pizza	✓	✓ (bake and pizza)	✓ (bake and pizza)
Roast			✓
Base Heat	✓	✓	✓
Fan & Grill	✓	✓	✓
Grill	✓	✓	✓ (half grill)
Maxi Grill	✓	✓	✓
Defrost	✓	✓	✓
Light	✓ (2)	✓ (2)	✓ (2)
<b>door</b>			
Glass layers in door	3	4	4
Removable door	✓	✓	✓
Other		Soft closing door	Soft closing door
<b>power rating</b>			
Connection	hardwired	hardwired	hardwired
Max Power Rating	3.6kW	6.1kW	6.1kW
Max Current Rating	15A	25A	25A
Voltage	230V-240V 50Hz	230V-240V 50Hz	230V-240V 50Hz
<b>dimensions</b>			
Product WxHxD (mm)	895 x 596 x 572	895 x 596 x 572	895 x 596 x 572
Flush mount cut-out WxHxD (mm)	900 x 600 x 580	900 x 600 x 580	900 x 600 x 580



## 60cm gas ovens

### Features†



WVG613SC/WC



WVG615SC

Type	gas	gas
Number of functions	multifunction 5	multifunction 5
Available finishes	stainless steel/white glass	stainless steel
Gross capacity (litres)	80	80
Controls	knob, silver	knob, metalised
Timer	auto off timer	programmable touch
Display		white LED
<b>oven features</b>		
Oven heating system	Fan Forced	Fan Forced
Ignition	auto electronic	auto electronic
Grill		
<b>accessories</b>		
AirFry tray		
Telescopic runners		
Easy Guide Side Racks	✓	✓
Shelf	✓ (2)	✓ (2)
Shelf - step down		
Deep Grill/Oven Dish	✓	✓
Grill/Oven Pan		
Grill Pan Insert	✓	✓
Baking Tray	✓	✓
<b>oven functions</b>		
Steam cooking function		
EasyBake +Steam		
AirFry		
Rapid Heat/Quick Cook		
Fan Forced	✓	✓
Fan Assist		
Bake/Pizza		
Roast		
Base Heat	✓ (bake)	✓ (bake)
Fan & Grill	✓	✓
Grill	✓	✓
Maxi Grill		
Defrost	✓	✓
Light	✓	✓
<b>door</b>		
Glass layers in door	2	2
Removable door	✓	✓
Other		
<b>power rating</b>		
Connection	hardwired	hardwired
Max Power Rating	2.3kW	2.3kW
Max Current Rating	9.6A	9.6A
Voltage	230-240V 50Hz	230-240V 50Hz
<b>dimensions</b>		
Product HxWxD (mm)	596 x 595 x 573	596 x 595 x 573
Flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

## 60cm gas ovens

### Features†



WVG655SC



WVG665SC/WC

Type	gas, electric separate grill		gas, electric separate grill	
Number of functions	multifunction 3		multifunction 3	
Available finishes	stainless steel		stainless steel/white glass	
Gross capacity (litres)	80		80 (main oven) 46 (separate grill)	
Controls	knob, metalised		knob, metalised	
Timer	programmable touch		programmable touch	
Display	white LED		white LED	
<b>oven features</b>				
Oven heating system	Fan Forced		Fan Forced	
Ignition	auto electronic		auto electronic	
Grill	separate grill		separate grill	
<b>accessories</b>				
AirFry tray				
Telescopic runners				
Easy Guide Side Racks	✓		✓	
Shelf	✓ (2)		✓ (2)	
Shelf - step down				
Deep Grill/Oven Dish			✓	
Grill/Oven Pan	✓			
Grill Pan Insert	✓		✓	
Baking Tray	✓		✓	
<b>oven functions</b>				
Steam cooking function				
EasyBake +Steam				
AirFry				
Rapid Heat/Quick Cook				
Fan Forced	✓		✓	
Fan Assist				
Bake/Pizza				
Roast				
Base Heat	✓ (bake)		✓ (bake)	
Fan & Grill				
Grill		✓		(3 positions)
Maxi Grill				
Defrost	✓		✓	
Light	✓		✓	
<b>door</b>				
Glass layers in door	2		2	
Removable door	✓		✓	
Other				
<b>power rating</b>				
Connection	hardwired		hardwired	
Max Power Rating	1.9kW		2.3kW	
Max Current Rating	7.8A		9.6A	
Voltage	230-240V 50Hz		230-240V 50Hz	
<b>dimensions</b>				
Product HxWxD (mm)	596 x 725 x 573		596 x 888 x 573	
Flush mount cut-out HxWxD (mm)	600 x 731 x 581		600 x 893 x 581	

## gas cooktops

### Features†



WHG648SC



WHG638BC



WHG758SC

Cooktop finish	stainless steel	black tempered glass	stainless steel
Control	knob, metalised	knob, metalised	knob, metalised
Width (nominal)	60cm	60cm	75cm
<b>main features</b>			
Wok burner power	17 MJ/h	19 MJ/h	19 MJ/h
Flame control	Dual valve	Dual valve	Dual valve
Trivets	cast iron	cast iron	cast iron
Wok stand	adaptor	adaptor	adaptor
Durable graphics	laser etched	under the glass	laser etched
<b>burner</b>			
No. of burners	4	3	5
Left front	17 MJ/h	19 MJ/h	19 MJ/h
Left rear	9.0 MJ/h		
Centre front			9.0 MJ/h
Centre rear			9.0 MJ/h
Right front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
Right rear	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h
Auto ignition, under knob	✓	✓	✓
Safety flame failure device	✓	✓	✓
<b>dimensions</b>			
Product WxDxH (mm)	595 x 530 x 55	595 x 530 x 62	745 x 530 x 55
Cut-out WxD (mm)	560 x 490	560 x 490	710 x 490

## gas cooktops

### Features†



WHG958SC



WHG958BC

Cooktop finish	stainless steel	black tempered glass
Control	knob, metalised	knob, metalised
Width (nominal)	90cm	90cm
<b>main features</b>		
Wok burner power	19 MJ/h	19 MJ/h
Flame control	Dual valve	Dual valve
Trivets	cast iron	cast iron
Wok stand	adaptor	adaptor
Durable graphics	laser etched	under the glass
<b>burner</b>		
No. of burners	5	5
Left front	19 MJ/h	19 MJ/h
Left rear		
Centre front	9.0 MJ/h	9.0 MJ/h
Centre rear	9.0 MJ/h	9.0 MJ/h
Right front	5.1 MJ/h	5.1 MJ/h
Right rear	12.1 MJ/h	12.1 MJ/h
Auto ignition, under knob	✓	✓
Safety flame failure device	✓	✓
<b>dimensions</b>		
Product WxDxH* (mm)	895 x 530 x 55	895 x 530 x 62
Cut-out WxD (mm)	860 x 490	860 x 490

## gas cooktops

### Features†



WHG640SC/WC



WHG644SC



WHG954SC

Cooktop finish	stainless steel/white enamel	stainless steel	stainless steel
Control	knob, silver/silver	knob, metalised	knob, metalised
Width (nominal)	60cm	60cm	90cm
<b>main features</b>			
Wok burner power		14.4 MJ/h	14.4 MJ/h
Flame control			
Trivets	enamelled	cast iron	cast iron
Wok stand		integrated	integrated
Durable graphics	laser etched/enamelled	laser etched	laser etched
<b>burner</b>			
No. of burners	4	4	5
Left front	12.1 MJ/h	14.4 MJ/h	14.4 MJ/h
Left rear	9.0 MJ/h	9.0 MJ/h	
Centre front			9.0 MJ/h
Centre rear			9.0 MJ/h
Right front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
Right rear	9.0 MJ/h	12.1 MJ/h	12.1 MJ/h
Auto ignition, under knob	✓	✓	✓
Safety flame failure device	✓	✓	✓
<b>dimensions</b>			
Product WxDxH (mm)	600 x 535 x 58	595 x 530 x 55	895 x 530 x 55
Cut-out WxD (mm)	570 x 490	560 x 490	860 x 490



# induction cooktops


## Features†



WHI633BC



WHI643BC



WHI645BC

cooktop finish	black ceramic glass	black ceramic glass	black ceramic glass
control	touch	touch	touch and slide
Width (nominal)	60cm	60cm	60cm
<b>cooktop features</b>			
BoilProtect			✓ (4 zone)
FlexZone			✓
MaxiZone	✓		
Hob-2-Hood	✓	✓	✓
<b>control functions</b>			
Pause	✓	✓	✓
PowerBoost	✓	✓	✓
Keep Warm	✓	✓	✓
Timer	✓	✓	✓
Hot surface indicator (3 levels)	✓	✓	✓
Child Lock	✓	✓	✓
<b>cooking zones</b>			
No. of zones	3	4	4
Left front (power, size)	2500/1400W, 140mm	3200/2300W, 210mm	3200/2300W (FlexZone)
Left rear (power, size)	2800/1800W, 180mm	2500/1400W, 140mm	3200/2300W (FlexZone)
Center front (power, size)			
Center rear (power, size)			
Right front (power, size)		2500/1400W, 140mm	2500/1400W, 140mm
Right rear (power, size)	5200/3600W, 280mm	2800/1800W, 180mm	2800/1800W, 180mm
<b>power rating</b>			
Connection	hardwired	hardwired	hardwired
Max Power Rating	6.5kW	6.5kW	7.4kW
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>			
Product (below bench) WxDxH (mm)	590 x 520 x 46	590 x 520 x 46	590 x 520 x 46
Cut-out WxD (mm)	560 x 490	560 x 490	560 x 490

## Features†



WHI743BC



WHI943BC



WHI945BC

cooktop finish	black ceramic glass	black ceramic glass	black ceramic glass
control	touch	touch	touch and slide
Width (nominal)	70cm	90cm	90cm
<b>cooktop features</b>			
BoilProtect			✓ (2 zone)
FlexZone			✓
MaxiZone			
Hob-2-Hood	✓	✓	✓
<b>control functions</b>			
Pause	✓	✓	✓
PowerBoost	✓	✓	✓
Keep Warm	✓	✓	✓
Timer	✓	✓	✓
Hot surface indicator (3 levels)	✓	✓	✓
Child Lock	✓	✓	✓
<b>cooking zones</b>			
No. of zones	4	4	4
Left front (power, size)	3200/2300W, 210mm	3200/2300W, 210mm	3200/2300W (FlexZone)
Left rear (power, size)	2500/1400W, 140mm	2500/1400W, 140mm	3200/2300W (FlexZone)
Center front (power, size)			
Center rear (power, size)			3600/2300W, 210mm
Right front (power, size)	2500/1400W, 140mm	2500/1400W, 140mm	
Right rear (power, size)	2800/1800W, 180mm	2800/1800W, 180mm	2800/1800W, 180mm
<b>power rating</b>			
Connection	hardwired	hardwired	hardwired
Max Power Rating	6.5kW	6.5kW	7.4kW
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>			
Product (below bench) WxDxH (mm)	700 x 520 x 46	900 x 515 x 46	910 x 520 x 46
Cut-out WxD (mm)	560 x 490	880 x 490	880 x 490

## induction cooktops

### Features†



WHI323BC

cooktop finish	black ceramic glass
control	touch
Width (nominal)	30cm
<b>cooktop features</b>	
BoilProtect	
FlexZone	
MaxiZone	
Hob-2-Hood	
<b>control functions</b>	
Pause	✓
PowerBoost	✓
Keep Warm	✓
Timer	✓
Hot surface indicator (3 levels)	✓
Child Lock	✓
<b>cooking zones</b>	
No. of zones	2
Left front (power, size)	
Left rear (power, size)	
Center front (power, size)	2500/1400W, 140mm
Center rear (power, size)	3200/2300W, 210mm
Right front (power, size)	
Right rear (power, size)	
<b>power rating</b>	
Connection	hardwired
Max Power Rating	3.7KW
Voltage	220-240V 50Hz
<b>dimensions</b>	
Product (below bench) WxDxH (mm)	300 x 520 x 46
Cut-out WxD (mm)	270 x 490



# electric cooktops

## Features†



WHC322BC



WHC642BC



WHC642SC

	WHC322BC	WHC642BC	WHC642SC
cooktop finish	black ceramic glass	black ceramic glass	black ceramic glass with stainless steel trim
control	knob, black	knob, black	knob, silver
Width (nominal)	30cm	60cm	60cm
<b>main features</b>			
MaxiZone			
Variable cooking zone			Dual Zone
Residual heat indicator	✓	✓	✓
Auto safety cut off	✓	✓	✓
<b>control functions</b>			
Pause			
Variable zone size			✓
Keep Warm			
Timer			
Residual Heat Indicator	✓	✓	✓
Child Lock			
<b>cooking zones</b>			
No. of zones	2	4	4
Left front (power, size)		2300W, 210mm	750/2200W, 210mm
Left rear (power, size)		1200W, 140mm	1200W, 140mm
Center front (power, size)	1200W, 140mm		
Center rear (power, size)	1800W, 180mm		
Right front (power, size)		1200W, 140mm	1200W, 140mm
Right rear (power, size)		1800W, 180mm	1800W, 180mm
<b>power rating</b>			
Connection	hardwired	hardwired	hardwired
Max Power Rating	3.0kW	6.5kW	6.4kW
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>			
Product (below bench) WxDxH (mm)	320 x 520 x 46	590 x 520 x 46	
Cut-out WxD (mm)	300 x 490	560 x 490	560 x 490

## Features†



WHC633BC



WHC643BC



WHC742BC

	WHC633BC	WHC643BC	WHC742BC
cooktop finish	black ceramic glass	black ceramic glass	black ceramic glass
control	touch	touch	knob, black
Width (nominal)	60cm	60cm	70cm
<b>main features</b>			
MaxiZone	✓		
Variable cooking zone	Dual Zone	Triple Zone	
Residual heat indicator	✓	✓	✓
Auto safety cut off	✓	✓	✓
<b>control functions</b>			
Pause	✓	✓	
Variable zone size	✓	✓	
Keep Warm	✓	✓	
Timer	✓	✓	
Residual Heat Indicator	✓ (3 levels)	✓ (3 levels)	✓
Child Lock	✓	✓	
<b>cooking zones</b>			
No. of zones	3	4	4
Left front (power, size)	1200W, 140mm	800/1600/2300W, 210mm	2300W, 210mm
Left rear (power, size)	1800W, 180mm	1200W, 140mm	1200W, 140mm
Center front (power, size)			
Center rear (power, size)			
Right front (power, size)		1200W, 140mm	1200W, 140mm
Right rear (power, size)	1600/3000W, 230mm	1800W, 180mm	1800W, 180mm
<b>power rating</b>			
Connection	hardwired	hardwired	hardwired
Max Power Rating	5.9kW	6.5kW	6.4kW
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>			
Product (below bench) WxDxH (mm)	590 x 520 x 46	590 x 520 x 46	700 x 520 x 46
Cut-out WxD (mm)	560 x 490	560 x 490	560 x 490

## ceramic cooktops

### Features†



WHC942BC



WHC943BC



WHC933BC

cooktop finish	black ceramic glass	black ceramic glass	black ceramic glass
control	knob, black	touch	touch
Width (nominal)	90cm	90cm	90cm
<b>main features</b>			
MaxiZone			
Variable cooking zone	Dual Zone	Triple Zone	Triple Zone
Residual heat indicator	✓	✓	✓
Auto safety cut off	✓	✓	✓
<b>control functions</b>			
Pause		✓	✓
Variable zone size	✓	✓	✓
Keep Warm		✓	✓
Timer		✓	✓
Residual Heat Indicator	✓	✓ (3 levels)	✓ (3 levels)
Child Lock		✓	✓
<b>cooking zones</b>			
No. of zones	4	4	3
Left front (power, size)	750/2200W, 210mm	800/1600/2300W, 210mm	800/1600/2300W, 210mm
Left rear (power, size)	1200W, 140mm	1200W, 140mm	
Center front (power, size)			1200W, 140mm
Center rear (power, size)			
Right front (power, size)	1800W, 180mm	1800W, 180mm	1800W, 180mm
Right rear (power, size)	1200W, 140mm	1200W, 140mm	
<b>power rating</b>			
Connection	hardwired	hardwired	hardwired
Max Power Rating	6.4kW	6.5kW	5.3kW
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>			
Product (below bench) WxDxH (mm)	900 x 520 x 46	900 x 520 x 46	900 x 410 x 46
Cut-out WxD (mm)	880 x 490	880 x 490	825 x 360

## solid cooktops

### Features†



WHS642SC/WC

cooktop finish	stainless steel/white enamel
control	knob, silver/white
Width (nominal)	60cm
<b>main features</b>	
Corrosion resistant hotplate	✓
Powerful zone	✓
Residual Heat Indicator	✓
Auto safety cut off	✓
<b>cooking zones</b>	
No. of zones	4
Left front	1500W
Left rear	2000W
Center front	
Center rear	
Right front	1500W
Right rear	1500W
<b>power rating</b>	
Connection	hardwired
Max Power Rating	6.5kW
Voltage	220-240V 50Hz
<b>dimensions</b>	
Product (below bench) WxDxH (mm)	600 x 535 x 58
Cut-out WxD (mm)	570 x 490



# integrated rangehoods

## Features†



WRI500SB



WRI700SB

Finish	stainless steel	stainless steel
Width	51cm	71cm
Control	slider	slider
Lighting	LED	LED
<b>main features</b>		
Max. Airflow Rate (m3/hr)	340	370
Connected		
Boost mode		
Timer		
Indicator		
<b>specifications</b>		
No. of motor	1	1
Fan speed	2	2
Noise level high/low (dBA)	67/49	67/49
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 125	top only, 125
Recirculation	optional, top only	optional, top only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	100W	100W
Max Power Rating	111W	111W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	512 x 200 x 304	712 x 200 x 304
Cut-out WxHxD (mm)	455 x 200 x 276	655 x 200 x 276



# integrated rangehoods

## Features†



WRI514BB



WRI814BB

Finish	dark stainless steel	dark stainless steel
Width	50cm	80cm
Control	electronic push button	electronic push button
Lighting	LED	LED
<b>main features</b>		
Max. Airflow Rate (m <sup>3</sup> /hr)	690	750
Connected		
Boost mode		
Timer		
Indicator		
<b>specifications</b>		
No. of motor	1	1
Fan speed	3	3
Noise level high/low (dBA)	68/52	68/52
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 150	top only, 150
Recirculation	optional, top only	optional, top only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	240W	240W
Max Power Rating	247W	247W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	492 x 317 x 277	792 x 317 x 277
Cut-out WxHxD (mm)	454 x 313 x 254	734 x 313 x 250

## Features†



WRI524BB



WRI824BB

Finish	dark stainless steel	dark stainless steel
Width	52cm	86cm
Control	electronic push button	electronic push button
Lighting	LED	LED
<b>main features</b>		
Max. Airflow Rate (m <sup>3</sup> /hr)	760	760
Connected	Hob-2 Hood	Hob-2 Hood
Boost mode	Boost mode	Boost mode
Timer		
Indicator	clean filter	clean filter
<b>specifications</b>		
No. of motor	1	1
Fan speed	3	3
Noise level high/low (dBA)	67/53	67/53
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 150	top only, 150
Recirculation	optional, top only	optional, top only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	275W	275W
Max Power Rating	277W	277W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	520 x 329 x 300	860 x 329 x 300
Cut-out WxHxD (mm)	492 x 329 x 259	832 x 329 x 259

## canopy rangehoods

### Features†



WRC614SC

WRC914SC

Finish	stainless steel	stainless steel
Width	60cm	90cm
Control	electronic touch button	electronic touch button
Lighting	LED	LED
<b>main features</b>		
Max. Airflow Rate (m3/hr)	840	840
Connected		
Boost mode		
Timer	auto off	auto off
Indicator	clean filter	clean filter
<b>specifications</b>		
No. of motor	1	1
Fan speed	3	3
Noise level high/low (dBA)	73/52	73/52
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 150	top only, 150
Recirculation	optional, top only	optional, top only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	330W	330W
Max Power Rating	337W	337W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	600 x (660-1160) x 500	900 x (660-1160) x 500

### Features†



WRC904SC

WRC924SC

WRCG914BC

Finish	stainless steel	stainless steel	dark, glass
Width	90cm	90cm	90cm
Control	push button	touch	push button
Lighting	LED	LED	LED
<b>main features</b>			
Max. Airflow Rate (m3/hr)	695	720	810
Connected		Hob-2 Hood	
Boost mode		Boost mode	Boost mode
Timer		auto off	auto off
Indicator		clean filter	clean filter
<b>specifications</b>			
No. of motor	1	1	1
Fan speed	3	3	3
Noise level high/low (dBA)	71/50	69/52	71/50
Washable oil mesh filters	dishwasher safe	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset	auto reset
Duct out through, diameter (mm)	top only, 120	top only, 150	top only, 150
Recirculation	optional, top only	optional, top only	optional, top only
Charcoal Filter	optional	optional	optional
<b>power rating</b>			
Connection	wire	wire	wire
Motor Power Rating	250W	250W	330W
Max Power Rating	254W	254W	337W
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>			
Product WxHxD (mm)	900 x (770-1240 max) x 500	900 x (679-1180) x 450	900 x (745-1130) x 500

## slide-out rangehoods

### Features†



WRR604SB



WRR904SB

Finish	stainless steel fascia	stainless steel fascia
Width (nominal)	60cm	90cm
Control	slide out, push/pull	slide out, push/pull
Lighting	LED	LED
<b>specifications</b>		
Max. Airflow Rate (m3/hr)	340	340
No. of motor	2	2
Fan speed	3	3
Noise level high/low (dBA)	66/57	66/57
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 125	top only, 125
Recirculation	optional, top only	optional, top only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	125W x 2	125W x 2
Max Power Rating	261W	261W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	598 x 175 x 300	898 x 175 x 300
Fascia Height (mm)	40	40

### Features†



WRR614SB



WRR914SB

Finish	stainless steel fascia	stainless steel fascia
Width (nominal)	60cm	90cm
Control	slide out, push/pull	slide out, push/pull
Lighting	LED	LED
<b>specifications</b>		
Max. Airflow Rate (m3/hr)	340	340
No. of motor	2	2
Fan speed	3	3
Noise level high/low (dBA)	66/57	66/57
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 125	top only, 125
Recirculation	front	front
Charcoal Filter	included	included
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	125W x 2	125W x 2
Max Power Rating	261W	261W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	598 x 175 x 300	898 x 175 x 300
Fascia Height (mm)	70	70

## slide-out rangehoods

### Features†



WRR626SB



WRR926SB

Finish	stainless steel fascia	stainless steel fascia
Width (nominal)	60cm	90cm
Control	slide out, switch	slide out, switch
Lighting	LED	LED
<b>specifications</b>		
Max. Airflow Rate (m3/hr)	600	600
No. of motor	1	1
Fan speed	2	2
Noise level high/low (dBA)	66/51	66/51
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top only, 150	top only, 150
Recirculation	optional, top only	optional, top only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	240W	240W
Max Power Rating	248W	248W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	598 x 275 x 300	898 x 275 x 300
Fascia Height (mm)	40	40



## fixed rangehoods

### Features\*



WRF610SA/WA



WRF910SA/WA

Finish	stainless steel/white	stainless steel/white
Width (nominal)	60cm	90cm
Control	push button	push button
Lighting	halogen	halogen
<b>specifications</b>		
Max. Airflow Rate (m <sup>3</sup> /hr)	200	200
No. of motor	1	1
Fan speed	3	3
Noise level high/low (dBA)	63/51	63/51
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top or rear, 125	top or rear, 125
Recirculation	optional, front only	optional, front only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	125W	125W
Max Power Rating	181W	181W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	598 x 160 x 500	898 x 160 x 500



WRF613SA/WA



WRF913SA/WA

Finish	stainless steel/white	stainless steel/white
Width (nominal)	60cm	90cm
Control	push button	push button
Lighting	halogen	halogen
<b>specifications</b>		
Max. Airflow Rate (m <sup>3</sup> /hr)	360	360
No. of motor	2	2
Fan speed	3	3
Noise level high/low (dBA)	70/62	70/62
Washable oil mesh filters	dishwasher safe	dishwasher safe
Safety cut-out	auto reset	auto reset
Duct out through, diameter (mm)	top or rear, 125	top or rear, 125
Recirculation	optional, front only	optional, front only
Charcoal Filter	optional	optional
<b>power rating</b>		
Connection	wire	wire
Motor Power Rating	125W x 2	125W x 2
Max Power Rating	306W	306W
Voltage	220-240V 50Hz	220-240V 50Hz
<b>dimensions</b>		
Product WxHxD (mm)	598 x 160 x 500	898 x 160 x 500

## built-in microwaves

### Features†



WMB2522SC



WMB4425SC



WMB4425DSC

Type	built-in solo mwo	built-in combi mwo	built-in combi mwo
Available finishes	stainless steel	stainless steel	dark stainless steel
Width (nominal)	60cm	60cm	60cm
Gross capacity (litres)	25L	44L	44L
Controls	touch and dial	touch	touch
Timer	programmable	programmable	programmable
Display	white LED	white LED	white LED
Cavity	stainless steel	stainless steel	stainless steel
<b>microwave features</b>			
Combi cooking with microwave		4 modes	4 modes
Auto Cook	✓	12 programs	12 programs
Quick start	✓		
Cooking by weight	✓	✓	✓
<b>accessories</b>			
Turntable, diameter (mm)	glass, 315	enamelled dish, 360	enamelled dish, 360
Grill rack		✓	✓
Shelf		✓	✓
<b>cooking functions</b>			
Microwave	✓	✓	✓
Roasting, fan forced with microwave		✓	✓
Grill with fan forced and microwave (thicker piece)		✓	✓
Grill with microwave		✓	✓
Pizza, base heat with fan forced and microwave		✓	✓
Roasting, fan forced		✓	✓
Grill with fan forced (thicker piece)		✓	✓
Grill		✓	✓
Pizza, base heat with fan forced		✓	✓
Defrost	✓	✓	✓
<b>control functions</b>			
Microwave (power levels)	✓ (5)	✓ (10)	✓ (10)
Combi cooking (number of modes)		✓ (4)	✓ (4)
Convection (number of modes)		✓ (4)	✓ (4)
Preheat		✓	✓
Auto Defrost (by weight/time)	✓	✓	✓
Timer	✓	✓	✓
Child lock	✓	✓	✓
<b>power rating</b>			
Connection	plug	hardwired	hardwired
Microwave	900W	900W	900W
Fan forced/grill/base elements		1700W/1750W/600W	1700W/1750W/600W
Max Power Rating	1.45kW	3.35kW	3.35kW
Max Current Rating	10A	15A	15A
Voltage	230-240V 50Hz	240V 50Hz	240V 50Hz
<b>dimensions</b>			
Product Dim. (WHD, mm)	596 x 460 x 400	596 x 454 x 568	596 x 454 x 568
Flush Fit Dim (WHD, mm)	600 x 466 x 570	600 x 466 x 570	600 x 466 x 570

## freestanding microwaves

### Features†



WMF4102SA/WA



WMF2302SA/WA

Type	freestanding	freestanding
Available finishes	stainless steel/white	stainless steel/white
Gross capacity (litres)	40	23
Controls	electronic	electronic
Timer	programmable	programmable
Display	amber	amber
Cavity	painted	painted
<b>microwave features</b>		
Auto Cook	✓	
Multi stage cooking	✓	✓
Sensor Cook	✓	
Quick start	✓	✓
<b>control functions</b>		
Microwave (power levels)	✓ (10)	✓ (10)
Sensor Cook	✓ (6 menus)	
Auto Cook	✓ (12 menus)	
Pre-set		✓ (6)
Favourite	✓	✓
Auto Defrost (by weight/time)	✓	✓
Timer	✓	✓
Child lock	✓	✓
<b>power rating</b>		
Turntable, diameter (mm)	glass, 345	glass, 270
<b>power rating</b>		
Connection	plug	plug
Microwave	1100W	800W
Max Power Rating	1.55kW	1.25kW
Max Current Rating	10A	10A
Voltage	230-240V 50Hz	230-240V 50Hz
<b>dimensions</b>		
Product Dim. (WHD, mm)	327 x 553 x 453	293 x 485 x 375



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

#### AUSTRALIA

phone: 13 13 49

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [westinghouse.com.au](http://westinghouse.com.au)

#### NEW ZEALAND

phone: 0800 10 66 10

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [westinghouse.co.nz](http://westinghouse.co.nz)



We invite you to follow Westinghouse appliances and get involved in the conversation.

#### Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years, an additional 3 year warranty is also provided for the sealed refrigeration system, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

#### \* Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.

and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license by Electrolux Home Products Pty Ltd. All Rights Reserved.

© 2022 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 W\_BRO\_Kitchen\_Feb22