





Westinghouse has been helping Australian families for over 60 years. We've always put our energy and thinking into great features that will actually be useful, not 'bells and whistles' that you just don't need. That's why our cooking range is loaded with practical features that give you more time doing the things that you love.

# Contents

<b>Built-in Ovens</b>	4	
<b>Cooktops</b>	16	
<b>Rangehoods</b>	23	
<b>Microwaves</b>	26	
<b>Accessories</b>	29	
<b>Oven functions</b>	30	

# 60cm cooking range



Cooking for the entire family can be stressful at the best of times. That is why Westinghouse has developed an even wider range of practical cooking solutions designed to ensure meal time runs as smoothly as possible. Our range of 60cm ovens come with a spacious 80L gross capacity and our duo range also include a generous 46L second oven. When it comes to cooking for the entire family, you'll be happy you chose a Westinghouse.



## Introducing the Ultimate Family Roast

with steam assisted cooking

Our large capacity oven features steam assisted cooking - the unique combination of hot air and just the right amount of steam to create a crispy outer layer while keeping the inside tender and juicy. With the added functionality of the Steam Reheat option, you can re-heat food to taste as if it was just cooked.

(WVE617S only).



## No-fuss PyroClean oven

The Westinghouse PyroClean ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away.

(Selected models only).



## Room for everything with FamilySize™ ovens

Our huge 80-litre gross capacity ovens have room for everything. Low heat emissions and super quiet operation are the ingredients for the perfect oven.



## FamilySafe™ doors

We've developed multi-layer glazed oven doors with an even cooler exterior that's easy on little hands. The full-width inner glass door also ensures a better oven seal, optimal temperature control and easier cleaning.



## Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Keep your oven looking like new with our easy-to-clean, fingerprint resistant stainless steel.

# Electric ovens

## Features†



Model	WVE614SA/WA	WVE615S/W	WVE615SH/WH*	WVE606SA*
type	single	single	single	single
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel
<b>main oven</b>				
oven functions	multifunction 5	multifunction 5	multifunction 5	multifunction 5
gross capacity (litres)	80	80	80	80
usable capacity (litres)	72	72	72	72
oven cleaning	easy clean/ removable door	easy clean/ removable door	easy clean/ removable door	easy clean/ removable door
catalytic liners†	available	available	available	✓
timer	auto off timer	programmable	programmable	programmable
lights	1	1	1	1
glass layers in door	2	2	2	2
<b>general features</b>				
australian made	✓	✓	✓	✓
retailer exclusive*			✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	✓	✓	✓
oven tray	✓	✓	✓	✓
connection	hardwired	hardwired	hardwired	hardwired
maximum current rating (A)	9.6	12.5	12.5	12.5
telescopic runners†	available	available	1 set	1 set
<b>dimensions^</b>				
overall oven HxWxD (mm)	595 x 596 x 568	595 x 596 x 568	595 x 596 x 568	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

\* This product is exclusive to specific retailer stores. For all participating stores, visit [westinghouse.com.au](http://westinghouse.com.au) for more information.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.

\* Catalytic liners and telescopic runners are available within our accessory range. Please see page 29 for details.

# Electric ovens (cont'd)

## Features†



Model	WVE616S/W*	WVE607S*	WVE655S/W	Combination WVE645S
type	single	single	single, separate grill	combination oven
available finishes	stainless steel/white	stainless steel	stainless steel/white	stainless steel
<b>main oven</b>				
oven functions	multifunction 8	multifunction 10	multifunction 5	multifunction 3
gross capacity (litres)	80	80	80	80
usable capacity (litres)	72	72	72	72
oven cleaning	easy clean/ removable door	easy clean/ removable door	easy clean/ removable door	easy clean/ removable door
catalytic liners*	✓	available	available	available
timer	programmable	programmable	programmable	auto off timer
lights	1	1	1	1
glass layers in door	3	3	3	2
<b>general features</b>				
australian made	✓	✓	✓	✓
retailer exclusive*	✓	✓		
controls	knob	electronic touch	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	✓	✓	✓
grill dish			✓	
anti-spatter grill insert	✓	✓	✓	✓
oven tray	✓	✓	✓	✓
connection	hardwired	hardwired	hardwired	hardwired
maximum current rating (A)	12.5	12.9	20.4	36.3
telescopic runners†	available	1 set	available	available
<b>dimensions^</b>				
overall oven HxWxD (mm)	595 x 596 x 568	595 x 596 x 568	725 x 596 x 572	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	731 x 600 x 581	600 x 600 x 581
proud mount oven cut-out HxWxD (mm)				590 x 565 x 560
overall cooktop WxDxH below bench (mm)				610 x 515 x 45
cooktop cut-out WxD (mm)				560 x 490
<b>second oven / separate grill</b>				
oven function			electric grill	
glass layers in door			1	
<b>connected cooktop</b>				
type				ceramic
elements				4
left front				2200
left rear				1200
right front				1200
right rear				1800

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

\* This product is exclusive to specific retailer stores. For all participating stores, visit [westinghouse.com.au](http://westinghouse.com.au) for more information.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.

\* Catalytic liners and telescopic runners are available within our accessory range. Please see page 29 for details.

# Side opening door electric ovens

## Features†




Model	WVES613S	WVES613W
type	single oven	single oven
available finishes	stainless steel	white
<b>main oven</b>		
oven functions	multifunction 3	multifunction 3
gross capacity (litres)	80	80
usable capacity (litres)	72	72
catalytic liners*	available	available
timer	auto off timer	auto off timer
lights	1	1
glass layers in door	2	2
side opening door*	✓	✓
<b>general features</b>		
australian made	✓	✓
controls	knob	knob
number of shelves	2	2
oven/grill dish	✓	✓
oven tray	✓	✓
connection	hardwired	hardwired
maximum current rating (A)	9.6	9.6
telescopic runners†	available	available
<b>dimensions^</b>		
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

NOTE: These doors are not reversible.

\* Ovens are available as left or right hand doors and are not reversible once built please ensure when ordering of correct requirements.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.



## Steam assisted cooking

When it comes to cooking the family roast, we want to keep the meat tender and juicy while creating a crispy skin. By having the assistance of steam when cooking you can do exactly that.

Model shown: Steam assist electric oven WVE617S.



# Steam assist oven

## Features†



Model	WVE617S
type	single, steam assist
available finishes	stainless steel
<b>main oven</b>	
oven functions	multifunction 13
gross capacity (litres)	80
usable capacity (litres)	72
oven cleaning	easy clean door, removable door
timer	programmable
lights	1
glass layers in door	3
<b>general features</b>	
australian made	✓
controls	electronic touch control
number of shelves	2
oven/grill dish	✓
anti-spatter grill insert	✓
oven tray	✓
connection	hardwired
maximum current rating (A)	12.9
telescopic runners	2 sets
<b>dimensions^</b>	
overall HxWxD (mm)	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.

\* Telescopic runners are available within our accessory range. Please see page 29 for details.

# No-fuss PyroClean ovens

With PyroClean, you can keep your oven clean using minimal effort and without harsh chemicals. It safely heats the oven to a high temperature turning grease and grime into ash. All you have to do is quickly wipe the residue away.



Models shown: Pyrolytic electric oven WVPE618S,  
induction cooktop WHI634BA, slide-out rangehood WRH6051S.

# Pyrolytic range

## Features†



MODEL	WVEP615S/W	WVEP618S/W
type	single, pyrolytic	single, pyrolytic
available finishes	stainless steel/white	stainless steel/white
<b>main oven</b>		
oven functions	multifunction 10	multifunction 11
gross capacity (litres)	80	80
usable capacity (litres)	68	72
pyrolytic functions	light, normal	light, normal
oven cleaning	Pyrolytic, easy clean door, removable door	Pyrolytic, easy clean door, removable door
timer	programmable	programmable
lights	1	1
glass layers in door	4	4
<b>general features</b>		
australian made	✓	✓
controls	knob	electronic touch control
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		✓
oven tray		✓
connection	hardwired	hardwired
maximum current rating (A)	12.9	12.9
telescopic runners		available
<b>dimensions*</b>		
overall HxWxD (mm)	595 x 596 x 572	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.

\* Telescopic runners are available within our accessory range. Please see page 29 for details.

NEW

# Double cavity electric ovens

## Features†



Model	WVE665S/W	WVE626S/W	WVEP627S	WVE636S/W
type	single, separate grill	double, duo	duo, pyrolytic	double
available finishes	stainless steel/white	stainless steel/white	stainless steel	stainless steel/white
<b>main oven</b>				
oven functions	multifunction 5	multifunction 8	multifunction 10	multifunction 8
gross capacity (litres)	80	80	80	80
usable capacity (litres)	72	72	72	72
pyrolytic functions			light, normal	
catalytic liners*	available	sides and rear		sides and rear
timer	programmable	programmable	programmable	programmable
lights	1	3	3	3
glass layers in door	2	3	4	3
<b>second oven or separate grill</b>				
oven function	electric grill	multifunction 5	multifunction 5	multifunction 8
gross capacity (litres)	46	46	46	80
usable capacity (litres)	38	38	38	72
catalytic liners		side and rear	side and rear	side and rear
lights		1	1	3
glass layers in door	2	3	3	3
<b>general features</b>				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	3	3	4
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert	✓	✓	✓	✓
oven tray	✓	✓	✓	✓
connection	hardwired	hardwired	hardwired	hardwired
maximum current rating (A)	22.1	22.4	23.9	25.8
telescopic runners†	available	available	available	available
<b>dimensions^</b>				
overall HxWxD (mm)	888 x 596 x 568	888 x 596 x 568	890 x 596 x 573	1081 x 596 x 572
flush mount cut-out HxWxD (mm)	893 x 600 x 581	893 x 600 x 581	893 x 600 x 581	1086 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

\* Catalytic liners and telescopic runners are available within our accessory range. Please see page 29 for details.

# Gas ovens

## Features†



Model	WVG613S/W	WVG615S/W	WVG655S/W	WVG665S/W
type	single	single	single, separate grill	single, separate grill
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
<b>main oven</b>				
oven functions	3 function	multifunction 5	3 function	3 function
gross capacity (litres)	80	80	80	80
usable capacity (litres)	72	72	72	72
oven burner output (NG)	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
in oven grill	electric	electric		
catalytic liners*	available	available	available	available
timer	auto off timer	programmable	programmable	programmable
lights	1	1	1	1
glass layers in door	2	2	2	2
<b>second oven or separate grill</b>				
oven function			electric grill	electric grill
<b>general features</b>				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert			✓	✓
oven tray	✓	✓	✓	✓
connection	10A service cord	10A service cord	10A service cord	10A service cord
maximum gas rating (NG)#	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
maximum current rating (A)	9.6	9.6	7.8	9.6
telescopic runners*	available	available	available	available
<b>dimensions^</b>				
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568	725 x 596 x 572	888 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	731 x 600 x 581	893 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

# For WVG613S/W, WVG615S/W, WVG655S/W and WVG665S/W models, it must be specified at time of purchase if LP gas is required as these models can not be converted. Gas rating for LP models is 9.0MJ/h.

NOTE: These gas products are only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and/or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

† Refer to the product information on the back page of this brochure.

\* Catalytic liners and telescopic runners are available within our accessory range. Please see page 29 for details.

# 90cm built-in ovens



Preparing large family feasts and entertaining friends has just become a whole lot easier thanks to our 90cm built-in oven which comes with a huge 125L gross capacity and super-quick heat up time.

We know how important it is that you achieve great results every time, with our Twin Fan System the fans rotate in opposite directions, distributing heat evenly throughout the oven.

Beautifully designed with Australians in mind, this large, easy to clean oven, with no-fuss PyroClean(selected models) and Family Safe™ doors it is set to become the new family favourite.



## Room for everything with FamilySize™ ovens

With a spacious 125L gross capacity\*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!

\* Based on International Standard IEC 60350-1



## No-fuss PyroClean oven

The Westinghouse PyroClean ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).



## Twin fan system for even cooking

Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.




## Fast heat-up time

Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.



## FamilySafe™ doors

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.



## Full touch electronic controls

Simple to operate and beautifully designed, the full-touch electronic control panel is easy to clean and also features a fully programmable timer. (Selected models only).

# 90cm built-in ovens

## Features†



Model	WVE914SB	WVE916SB	WVEP916SB
type	single	single	single, pyrolytic
available finishes	stainless steel	stainless steel	stainless steel
<b>oven</b>			
type	electric	electric	electric
oven functions	multifunction 7	multifunction 11	multifunction 12
gross capacity (litres)	125	125	125
usable capacity (litres)	116	116	116
pyrolytic functions			light, normal
oven cleaning	easy clean door, removable door	easy clean door, removable door	pyrolytic, easy clean door, removable door
timer	3 button touch control	programmable touch control	programmable touch control
lights	2	2	2
glass layers in door	3	3	4
soft close door			✓
<b>general features</b>			
australian made	✓	✓	yes
controls	knob	electronic touch	electronic touch
twin fan system	✓	✓	✓
grill in oven	✓	✓	✓
number of shelves	2	2	2
grill dish	2 (half width)	2 (half width)	2 (half width)
grill insert	2 (half width)	2 (half width)	2 (half width)
grill rack	1	1	1
connection	hardwired	hardwired	hardwired
maximum power rating (A)	15	15	25
<b>dimensions^</b>			
overall HxWxD (mm)	596 x 895 x 572	596 x 895 x 572	596 x 895 x 572
flush mount cut-out HxWxD (mm)	600 x 900 x 580	600 x 900 x 580	600 x 900 x 580

\* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles. For complete dimensions and installation requirements, refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

- Burner outputs shown above are for natural gas connection.

# Induction? Easy.


When you're busy getting food on the table, flexibility is key. That's why our Westinghouse induction range offers an array of practical design features to make your life easier.



Model shown: Steam assist electric oven WVE617S.



# Induction cooktops



Almost twice as fast as gas or electric in transforming energy into heat, you'll save not only time but money too. What's more, induction cooking only generates heat in the cookware, so surfaces around the pot are cool to touch, making the cooking environment safer. The surface is also easy to clean, as any spills are simply wiped away - now that's practical.



## FamilyFlex™ Induction for versatile cooking

FamilyFlex™ allows you to use two individual induction zones as well as link together two zones to provide a space for larger or irregularly shaped pots.

(Selected models only)



## Pause when you need to

Just press the Pause icon on our induction cooktop and all operating zones will drop to a keep warm mode. And when ready to resume, touch the Pause icon again and all zones will return to their previous setting.



## PowerBoost - for faster boiling

Increase the power of your cooktop with PowerBoost to boil water rapidly, or quickly heat up your pan.



## Touch on glass controls

With flat easy-clean touch on glass controls at your fingertips, you can easily control the heat. So all you need to do is concentrate on preparing the perfect meal.



## QuickCook™ Timer

This nifty timer counts down and even turns the zone off to cook the perfect steak or boiled eggs or any other meal exactly to your liking.



## Transition to induction cooking with ease

Make the easy upgrade to induction cooking from your ceramic or electric solid cooktop. With the standard 6.5kW of power required, there's no fuss needed to change your power supply over.

(WHI634BB only)

# Induction cooktops

## Features†



NEW


Model	WHI324BA	WHI634BB	WHI644BA	WHI645BA
finish	black ceramic glass	black ceramic glass	black ceramic glass	black ceramic glass
connection	hardwired	hardwired	hardwired	hardwired
maximum power rating	3.7KW	6.5KW	7.4KW	7.4KW
<b>elements</b>				
total	2	3	4	4
left front		2500/1400W	3200/2300W	3200/2300W
left rear		2800/1800W	2500/1400W	3200/2300W
center front	2500/1400W			
center rear	3200/2300W			
right front		5200/3600W	2500/1400W	3200/2300W
right rear			2800/1800W	2500/1400W
control	touch	touch	touch	touch
<b>features</b>				
pause	✓	✓	✓	✓
hot surface indicator	✓	✓	✓	✓
child lock	✓	✓	✓	✓
quickcook timer	✓	✓	✓	✓
<b>dimensions^</b>				
WxDxH below bench (mm)	300 x 520 x 46	590 x 520 x 46	590 x 520 x 46	590 x 520 x 46
cut-out WxD (mm)	270 x 490	560 x 490	560 x 490	560 x 490



NEW

Model	WHI744BA	WHI745BA	WHI944BA	WHI955BB
finish	black ceramic glass	black ceramic glass	black ceramic glass	black ceramic glass
connection	hardwired	hardwired	hardwired	hardwired
maximum power rating	7.4KW	7.4KW	7.4KW	10.6kW
<b>elements</b>				
total	4	4	4	5
left front	3200/2300W	3200/2300W	3100/2300W	3200/2300W
left rear	2500/1400W	3200/2300W	1800/1400W	3200/2300W
center front				3200/2300W
right front	2500/1400W	3200/2300W	1800/1400W	2800/1800W
right rear	2800/1800W	2500/1400W	2800/1800W	2500/1400W
control	touch	touch	touch	touch
<b>features</b>				
pause	✓	✓	✓	✓
hot surface indicator	✓	✓	✓	✓
child lock	✓	✓	✓	✓
quickcook timer	✓	✓	✓	✓
<b>dimensions^</b>				
WxDxH below bench (mm)	700 x 520 x 46	700 x 520 x 46	900 x 515 x 46	910 x 520 x 46
cut-out WxD (mm)	560 x 490	560 x 490	880 x 490	880 x 490

† Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)



# Electric ceramic cooktops

The new range of Westinghouse ceramic cooktops have been designed to showcase smart and practical features that will help you handle the little knocks of every day life. Our durable glass surface offers up to six multi-heat zones, hot surface indicators and provides a stylish yet practical solution to meet all your cooking demands.



## More versatility with variable zones

Every recipe is different and so is every cook. That's why we designed not only four cooking positions, but also one hotplate as a triple zone. You'll gain the unrivalled flexibility of having three variable zones in one.

(Selected models only).



## Touch-on-glass controls

The flat touch-on-glass controls not only look great, but with no buttons, they're also easy to wipe clean. (Selected models only).




## Practical features

The touch-on-glass models offer helpful functions for busy lives. Pause the cooktop if there are interruptions and the nifty QuickCook™ Timer counts down turns the zone off when finished. (Selected models only).



## FamilySafe™ child lock

Thanks to the practical inclusion of a handy child lock, You'll know the family is safe even if you need to walk away from the cooktop. (Selected models only).



## Hot surface indicator

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot. (Selected models only).



## Easy clean ceramic glass surface

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring the kitchen is always looking at its best.

# Electric ceramic cooktops

## Features†



Model	WHC322BA	WHC642BA	WHC644BA	WHC644SA	WHC742BA
finish	ceramic glass/black	ceramic glass/black	ceramic glass/black	ceramic glass/black, stainless steel	ceramic glass/black
connection	hardwired	hardwired	hardwired	hardwired	hardwired
maximum power rating	3.0KW	6.5KW	6.5KW	6.4KW	6.4KW
<b>elements</b>					
total	2	4	4	4	4
left front		2300W	2300W	2200W	2300W
left rear		1200W	1200W	1200W	1200W
center front	1200W				
center rear	1800W				
right front		1200W	1200W	1800W	1200W
right rear		1800W	1800W	1200W	1800W
control	knob	knob	touch	knob	knob
<b>features</b>					
hot surface indicator	✓	✓	✓	✓	✓
child lock			✓		
quickcook timer			✓		
<b>dimensions<sup>^</sup></b>					
WxDxH below bench (mm)	320 x 520 x 46	590 x 520 x 46	590 x 520 x 46	590 x 520 x 46	700 x 520 x 46
cut-out WxD (mm)	300 x 490	560 x 490	560 x 490	560 x 490	560 x 490




Model	WHC744BA	WHC934BA	WHC942BA	WHC944BA	WHS642SA/WA
finish	ceramic glass/black	ceramic glass/black	ceramic glass/black	ceramic glass/black	stainless steel/white enamel
connection	hardwired	hardwired	hardwired	hardwired	hardwired
maximum power rating	6.5KW	5.3KW	6.4KW	6.5KW	6.5KW
<b>elements</b>					
total	4	3	4	4	4
left front	2300W	2300W	2200W	2300W	1500W
left rear	1200W		1200W	1200W	2000W
center front		1200W			
right front	1200W	1800W	1800W	1200W	1500W
right rear	1800W		1200W	1800W	1500W
control	touch	touch	knob	touch	knob
<b>features</b>					
hot surface indicator	✓	✓	✓	✓	
child lock	✓	✓		✓	
quickcook timer	✓	✓		✓	
<b>dimensions<sup>^</sup></b>					
WxDxH below bench (mm)	700 x 520 x 46	900 x 410 x 46	900 x 520 x 46	900 x 520 x 46	600 x 535 x 58
cut-out WxD (mm)	560 x 490	825 x 360	880 x 490	880 x 490	570 x 490

NOTE: A minimum 30mm air gap is recommended below ceramic cooktop for heat dissipation.

<sup>^</sup> Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

# Gas cooktops



Our new range of gas cooktops are built to give you the ultimate combination of peace of mind and flexibility.

With Dual Valve control you are able to adjust your flame size so you can cleverly go from boil to simmer in an instant and a high-powered wok burner with highest setting reaching 17MJ/h, both allowing you to create delicious tasting meals in no time.

We know safety is important, so with FamilySafe™ trivets that enhance pot stability, you can always cook without worry.



## High-powered wok burner

You can whip up tasty stir-fries and more with our high-powered 17MJ/h wok burner.

(Selected models only).



## Dual valve control

The Dual Valve control lets you adjust your flame size so you can cleverly go from boil to simmer in an instant.

(Excludes wok burner, selected models only).



## FamilySafe™ Trivets

Designed to cover the large flat surface area and enhance pot stability for added safety. Plus, being dishwasher friendly means less time cleaning.



## FamilySafe™ Flame failure device

Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished.



## Cook more at the same time

The high powered wok burner is positioned on the left side, so that you have easy access to your dishes that may require a little more attention, allowing you to utilise the other burners at the same time with ease.




## Bladed knob controls

Our cooktop knobs for maximum practicality. The bladed design makes them easy to grip plus the unique shape means you can tell at a glance if the cooktop's been left on. Talk about handy!

NEW

## Gas cooktops\* 60cm

### Features†




Model	WHG640SB/WB	WHG644SA	WHG645WA	WHG646SB
finish	stainless steel/ white enamel	stainless steel	white enamel	stainless steel
connection	10A plug & lead	10A plug & lead	10A plug & lead	10A plug & lead
gas rating (NG)	35.2MJ/h	40.6MJ/h	40.6MJ/h	40.6MJ/h
<b>burners</b>				
left front	12.1MJ/h	14.4MJ/h	14.4MJ/h	17MJ/h
left rear	9.0MJ/h	9.0MJ/h	9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h	5.1MJ/h	5.1MJ/h
right rear	9.0MJ/h	12.1MJ/h	12.1MJ/h	12.1MJ/h
<b>features</b>				
dual valve control (wok burner)				✓
trivets	enamel	enamel	cast iron	cast iron
ignition type	electronic	electronic	electronic	electronic
FamilySafe™ flame failure	✓	✓	✓	✓
<b>dimensions^</b>				
WxDxH below bench (mm)	600 x 535 x 38	595 x 530 x 44	600 x 535 x 38	595 x 530 x 55
cut out WxD (mm)	570 x 490	560 x 490	570 x 490	560 x 490

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

NEW

## Gas cooktops\* 70cm & 90cm

### Features†



NEW

Model	WHG756SB	WHG952SB	WHG955WA	WHG956SB
finish	stainless steel	stainless steel	white enamel	stainless steel
connection	10A plug & lead	10A plug & lead	10A plug & lead	10A plug & lead
gas rating (NG)	49.6MJ/h	49.6MJ/h	49.6MJ/h	49.6MJ/h
<b>burners</b>				
left front	17MJ/h	14.4MJ/h	14.4MJ/h	17MJ/h
left rear			5.1MJ/h	
centre front	9.0MJ/h	9.0MJ/h	9.0MJ/h	9.0MJ/h
centre rear	9.0MJ/h	9.0MJ/h	9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h	9.0MJ/h	5.1MJ/h
right rear	12.1MJ/h	12.1MJ/h	12.1MJ/h	12.1MJ/h
<b>features</b>				
dual valve control (wok burner)	✓			✓
trivets	cast iron	enamel	cast iron	cast iron
ignition type	electronic	electronic	electronic	electronic
FamilySafe™ flame failure	✓	✓	✓	✓
<b>dimensions^</b>				
WxDxH below bench (mm)	745 x 530 x 55	895 x 530 x 44	860 x 509 x 55	895 x 530 x 55
cut-out WxD (mm)	730 x 490	880 x 490	830 x 470	880 x 490

\* Gas Type: Configured for NG and supplied with an LPG conversion kit.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure

# Rangehoods



Westinghouse offers high performance rangehoods that clear the air of grease, steam and heat build-up when cooking, drawing smells and residue away from your cooktop with minimal noise.

## Integrated rangehoods

Whilst the integrated rangehood does everything you need it to when it comes to clearing the air it also offers you the opportunity to design your kitchen cabinetry around it, allowing you greater flexibility for unique kitchen installations.



### Superior air movement

The powerful 3 speed fan efficiently removes fumes, smoke and vapour from the kitchen.



### Timed cleaning

When the cooking is finished the AutoOff fan delay will ensure that all kitchen odours and residual smoke are removed, automatically switching itself off after 5 minutes while you enjoy your meal straight away.



### Light up your cooking

Two long-life, high output LED lights to enhance the lighting of your cooking space without adding heat or higher energy cost to the process.



### Quiet Operation

Superior air flow without the noise. Designed to operate at low noise levels even in the higher fan settings ensuring you and your family can enjoy conversation while cooking together.



### Fresh air for cleaning

The Westinghouse rangehood is designed for easy maintenance with multi-layered micromesh filters to make catching the grease and residue more effective.



### Easy to clean

Removable filters are dishwasher safe for easy cleaning, with a filter saturation indicator to notify you when cleaning is recommended. The resilient stainless steel construction ensures that cleaning the exterior is as easy as possible.

## Canopy rangehoods

### Features†



Model	WRC613SB	WRC913SB	WRCG930SB	WRCG940SB	WRF900CS
nominal width (mm)	600	900	900	900	900
finish	stainless steel	stainless steel	glass & stainless steel	glass & stainless steel	stainless steel
number of fans/speeds	1/3	1/3	1/3 plus Boost	1/3 plus Boost	2/3
max. airflow (m <sup>3</sup> /h)	850	850	800 (Boost)	800 (Boost)	550
noise level dB (high/low)	71/61	71/61	70/52	70/52	55/48
no. of filters	2	3	1	1	3
dishwasher safe filters	✓	✓	✓	✓	✓
control	touch control	touch control	electronic push button	electronic push button	push button
top or rear duct hole	top	top	top	top	top
lights	2 x 4W LED	2 x 4W LED	2 x 4W LED	2 x 4W LED	2 x 40W incandescent
optional extension flue	1100mm	1100mm	N/A	N/A	1100mm
<b>dimensions<sup>^</sup></b>					
WxDxH (mm)	600 x 500 x 660-1160	900 x 500 x 660-1160	900 x 500 x 600-1165	900 x 500 x 600-1130	900 x 500 x 770-1240

<sup>^</sup> Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.

## Fixed rangehoods

### Features†



Model	WRF610WA/SA	WRF910WA/SA	WRF613WA/SA	WRF913WA/SA
nominal width (mm)	600	900	600	900
finish	white/stainless steel	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	1/3	1/3	2/3	2/3
max. airflow (m <sup>3</sup> /h)	200	200	360	360
noise level dB (high/low)	63/51	63/51	70/62	70/62
number of filters	2	3	2	3
dishwasher safe filters	✓	✓	✓	✓
front re-circulating option	✓	✓	✓	✓
control	push button	push button	push button	push button
top or rear duct hole	both	both	both	both
lights	2 x 28W halogen	2 x 28W halogen	2 x 28W halogen	2 x 28W halogen
<b>dimensions<sup>^</sup></b>				
WxDxH (mm)	598 x 500 x 160	898 x 500 x 160	598 x 500 x 160	898 x 500 x 160

<sup>^</sup> Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)



# Integrated and slide-out rangehoods

## Features†



Model	WRI700GA	WRI520GA	WRH908IS/W
type	integrated	integrated	slide out
nominal width (mm)	700	520	900
finish	grey	grey	white/stainless steel
number of fans/speeds	1/3	1/3	2/3
max. airflow (m <sup>3</sup> /h)	300	300	400
noise level dB (high/low)	62/54	62/54	66/59
number of filters	2	2	2
recirculating option	✓	✓	✓
controls	slide switch	slide switch	auto-activated (pull/push)
top or rear duct	top	top	top
lights	2 x 4W halogen	2 x 4W halogen	2 x 28W halogen
<b>dimensions</b>			
W x D x H (mm)	702 x 284 x 259	522 x 284 x 259	899 x 300 x 175

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.



Model	WRR614S/W	WRH608IS/W	WRH605IS/W
type	slide out	slide out	slide out
nominal width (mm)	600	600	600
finish	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	2/3	1/3
max. airflow (m <sup>3</sup> /h)	400	400	210
noise level dB (high/low)	66/59	66/59	62/59
number of filters	2	2	1
recirculating option	preset to front recirculate	✓	✓
controls	auto-activated (pull/push)	auto-activated (pull/push)	auto-activated (pull/push)
top or rear duct	top	top	top
lights	2 x 28W halogen	2 x 28W halogen	1 x 28W halogen
<b>dimensions</b>			
W x D x H (mm)	599 x 300 x 175	599 x 300 x 175	599 x 300 x 175

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [westinghouse.com.au](http://westinghouse.com.au)

† Refer to the product information on the back page of this brochure.



# Microwave ovens

Surprisingly, one in four people are not satisfied with their microwave and one of the main reasons is because it doesn't complement other kitchen appliances as well as the overall kitchen decor.

Recognising this frustration and making a distinct move away from the 'white box on the benchtop', our range of countertop and built-in microwaves are designed to complement modern kitchens. With either white or fingerprint resistant stainless steel finishes and electronic touch controls, the stylish appliances integrate easily into your kitchen, creating a visually harmonised space.



## Built-in convenience

Our latest built-in microwave features 8 auto cooking functions.



## Crispy bacon is possible!

Our 44 litre combination microwave with grill function can be used in isolation or combined with microwave power to give crispier results when cooking all kinds of dishes.



## Hard wearing, stylish and easy to clean

Full fingerprint resistant stainless steel fascia on our ovens is hard-wearing yet attractive and will be a breeze for you to keep clean.



## FamilySafe™ touch control

An easy to use, easy to clean touch control with a FamilySafe™ child lock to keep small fingers from accidentally operating the oven.

# Microwave ovens

## Features†



Model	WMB4425SA	WMB2802SA	WMF4102SA
installation	built-in	built-in	countertop
fascia	fingerprint resistant stainless steel trims	fingerprint resistant stainless steel trims and trim kit	fingerprint resistant stainless steel trims
controls	electronic	electronic	electronic
<b>Features</b>			
usable capacity (litres)	44	28	41
microwave power (watts)	900	900	1100
grill power (watts)	1750	n/a	n/a
FamilySafe Child lock	✓	✓	✓
<b>Oven function</b>			
microwave	✓	✓	✓
grill	✓		
combination modes	4		
microwave quick start	✓	✓	✓
defrost by weight	✓	✓	✓
defrost by time	✓	✓	
auto reheat	✓		✓
auto cook	✓	✓	✓
<b>Oven programs</b>			
beverage		✓	
fish	✓	✓	✓
frozen meal			✓
meat	✓	✓	
pasta	✓	✓	
pizza	✓	✓	✓
popcorn		✓	✓
potato	✓	✓	✓
rice			✓
soup	✓		
vegetables	✓	✓	✓
dinner plate			
<b>Included accessories</b>			
turntable ring	✓	✓	✓
turntable	enamel	glass	glass
grill rack	✓		
<b>Dimensions</b>			
product HxWxD (mm)	460 x 594 x 392	460 x 594 x 387	327 x 553 x 453
cabinet cut out required HxWxD (mm)	466 x 600 x 570	464 x 600 X 550	
turntable diameter (mm)	360	315	345

† Refer to the product information on the back page of this brochure



Model	WMF4102WA	WMF2302SA	WMF2302WA
installation	countertop	countertop	countertop
fascia	white plastic, with UV protection	fingerprint resistant stainless steel trims	white plastic, with UV protection
controls	electronic	electronic	electronic
<b>Features</b>			
usable capacity (litres)	41	23	23
microwave power (watts)	1100	800	800
grill power (watts)	n/a	n/a	n/a
FamilySafe Child lock	✓	✓	✓
<b>Oven function</b>			
microwave	✓	✓	✓
grill			
combination modes			
microwave quick start	✓	✓	✓
defrost by weight	✓	✓	✓
defrost by time		✓	✓
auto reheat	✓	✓	✓
auto cook	✓	✓	✓
<b>Oven programs</b>			
beverage		✓	✓
fish	✓		
frozen meal	✓		
meat			
pasta			
pizza	✓	✓	✓
popcorn	✓	✓	✓
potato	✓	✓	✓
rice	✓		
soup			
vegetables	✓	✓	✓
dinner plate		✓	✓
<b>Included accessories</b>			
turntable ring	✓	✓	✓
turntable	glass	glass	glass
grill rack			
<b>Dimensions</b>			
product HxWxD (mm)	327 x 553 x 453	293 x 485 x 375	293 x 485 x 375
cabinet cut out required HxWxD (mm)			
turntable diameter (mm)	345	270	270

# Accessories & Upgrade Packs



## Oven Runners Kit: telescopic runners

(ACC260, ACC290)

With three sets of telescopic runners and two specially designed oven racks, you can now safely pull your oven racks and trays all the way out of the oven. Loading and unloading the oven is not only more efficient, but it's also easier to check food.



## Catalytic oven liners (ACC210)

The innovative catalytic oven liners absorb any grease produced during the cooking process. The grease is then vapourised by the heat of the oven to make cleaning a breeze.

(WVE626S, WVE626W, WVE636S and WVE636W come standard with catalytic liners). Visit [westinghouse.com.au](http://westinghouse.com.au) or phone 1300 363 640 to confirm which set of catalytic liners are best suited for your oven.

# Oven functions



## Pyrolytic cleaning

Heats to high temperature and burns off splatters, accumulated dirt and grease from the oven liner. Simply wipe out ash when cooled.



## Conventional bake (bake/pizza)

Heats from the top and bottom elements. Thermostat controlled, to maintain a constant temperature. Ideal for single trays e.g. biscuits, scones, cakes, casseroles, roasts.



## Fan bake

Heats from elements surrounding the fan, circulating heat around the oven. Cooks at a lower temperature – faster than baking. Ideal for multi-shelf cooking and reheating.



## Grill – electric

Uses a powerful upper element to grill the top of food such as tender meats, fish, cheese toasties and other quick cooking food. Preheat the grill for 3 minutes for best results.



## Maxi grill – electric

Grill element and top element works like a normal grill but uses both the grill element and the boost element, so that more can be grilled.



## Defrost

Uses the fan only to circulate the air in oven to accelerate defrosting of food.



## Rapid heat/fast heat up

Uses a combination of elements to get the oven to the required temperature faster. Can also be used for drying herbs, craft items, etc.



## Base heat

Uses the bottom element only. Excellent for where a crisp base is required.



## Fan assist

Both top and bottom elements are used while a fan circulates air within the cavity.



## Pizza

This function uses the bottom element and the element around the fan.



## Fan Grill

The grill element and the fan are used in combination. Excellent for thicker cuts of meat, or to get a rotisserie style result.



## Quick cook

Heat comes from the element surrounding the fan as well as the smaller element above the food. This allows you to preheat your oven 30% quicker than on standard 'Bake/Pizza'. 'Quick Cook' is ideal for cooking frozen pre-cooked foods such as savoury pastries, pizzas, mini meals (TV dinners), meat pies and fruit pies.



## Steam cook

The hot air ensures the outside of the food is sealed whilst the steam keeps the inside tender. Steam comes from the outlet pipe and heat comes from the element surrounding the fan. The browning of meat or fish will be perfect, with the best cooking result at the core.



## Pizza & steam

This function creates a great pizza in terms of crispy crust and uniform browning on top. "Pizza + Steam" is a combination of "Base heat", "Fan bake" and "Steam" and offers you the combined benefits of each of these functions.



130°C

## Steam reheat

Steam comes from the outlet pipe and heat switches from between the element surrounding the fan and the clean heat element below the oven floor. This function has a set temperature of 130°C.



## Eco cooking

For energy saving baking and cooking on one shelf position. Gentle heat comes from the elements surrounding the fans. The lamps deactivate after 30 seconds.

# Oven functions

## Main oven

	Electric ovens																Gas ovens						
	WVE645S	WVE655	WVE665	WVE626	WVE636	WVES613	WVE614	WVE615	WVEP615	WVE606*	WVE616*	WVE607*	WVE617	WVEP618	WVEP627S	WVE914	WVE916	WVEP916	WVG613	WVG615	WVG655	WVG665	
Pyrolytic cleaning										✓					✓	✓		✓					
Conventional bake		✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fan bake	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grill - electric	✓			✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Maxi grill - electric				✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Defrost		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓		
Rapid heat/fast heat up		✓	✓	✓	✓				✓		✓				✓		✓	✓					
Base heat		✓	✓	✓	✓				✓		✓	✓	✓	✓	✓	✓	✓	✓					
Fan assist													✓	✓	✓		✓	✓					
Pizza									✓			✓	✓	✓	✓		✓	✓					
Fan Grill	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓		
Quick cook													✓	✓	✓								
Steam cook													✓										
Pizza & steam													✓										
Steam reheat													✓										
Eco cooking																	✓	✓					
Light only							✓																
<b>Second oven</b>																							
Conventional bake				✓	✓											✓							
Fan bake					✓											✓							
Grill - electric		✓	✓		✓											✓						✓	✓
Maxi grill - electric					✓																		
Defrost				✓	✓											✓							
Rapid heat/fast heat					✓																		
Base heat				✓	✓																		
Fan assist				✓												✓							
Pizza																							
Fan Grill				✓	✓											✓							

\* This product is exclusive to specific retailer stores. For all participating stores, visit [westinghouse.com.au](http://westinghouse.com.au) for more information.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640  
fax: 1800 350 067  
email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)  
web: [westinghouse.com.au](http://westinghouse.com.au)



We invite you to follow Westinghouse appliances and get involved in the conversation.

## Top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

### Spare Parts and Accessories:

Westinghouse offers an extensive range of genuine spare parts and accessories to purchase across our entire range of products. With purchasing options to suit your shopping style, you can be sure we are always thinking of you. To view and purchase genuine spare parts and accessories online visit [shop.westinghouse.com.au](http://shop.westinghouse.com.au)

To discuss and purchase genuine spare parts and accessories with one of our friendly staff call 1300 363 640. To find your nearest Electrolux spare parts retailer call 13 13 50.

### Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

### † Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

 and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license by Electrolux Home Products Pty Ltd. All Rights Reserved.

© 2019 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WBRO\_Kitchen\_May19