CABLE HDMI HIGH SPEED MALE-MALE 5M

Part Number: 40HDMI1.4MM5





Features

- HDMI Type A to Type A Male-to-Male High Speed cable with Ethernet Channel
- Designed to support the features of HDMI V2.0 and previous versions
- Features include 4K (30Hz) Video, 3D, Deep Colour, Audio Return Channel
- High Speed HDMI performance with a dedicated Ethernet channel
- Signal quality depends upon length and Hardware Receiver Chip

Product Description

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.

T: 133 122 | F: 1300 303 310 | E: sales@cabac.com.au | W: cabac.com.au



High Speed HDMI Cable V1.4 M-M - Length 5m

CABAC's HDMI cables support all the features of the HDMI 1.4 specification, including:

- HDMI Ethernet Channel

- Audio Return Channel (ARC)

- 3D

These HDMI cables are perfect for the home and office, whether you have a home theatre system, multi-screen computer setup or a portable device such as a digital camera or mobile phone. You can enjoy 3D movies, Ultra HD content and web browsing via games consoles, DVD/Blu-ray players, set-top boxes, PC's and laptops.

HDMI Features

HDMI Ethernet Channel

The HDMI Ethernet Channel allows users to take full advantage of their IP-enabled devices without the need for a separate Ethernet cable.

Audio Return Channel

The Audio Return Channel allows a HDMI-connected TV with a built-in tuner to send audio 'upstream' to an AV receiver or surround sound system, eliminating the need for a separate audio cable.

3D

Enjoy TV, movies and games in 3D for a surreal experience.

4K x 2K resolution

4K x 2K resolution is 4x that of HD 1080P and is ideal for crystal clear images on larger screens.

Additional Colour Spaces Includes support for extra colour modes used in digital photography and computer graphics.

HDMI Mini and Micro connectors

V1.4 supports a new, smaller connector for phones, tablets, digital cameras and other portable devices, supporting video resolutions up to 1080P.

HDMI 2.0 and Older HDMI Versions

HDMI 2.0 does not require replacement cables or connectors.

HDMI 2.0 is backwards compatible with earlier versions of the HDMI specification and is built on top of HDMI 1.x Any device that implements HDMI 2.0 must first implement 1.x as a baseline requirement.

Higher bandwidth features will require existing High Speed HDMI cables (Category 2 cables).

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.

T: 133 122 | F: 1300 303 310 | E: sales@cabac.com.au | W: cabac.com.au



Additional Information

Datasheet

Download Datasheet

Line Drawing

Download Line Drawing

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.

T: 133 122 | F: 1300 303 310 | E: sales@cabac.com.au | W: cabac.com.au

